

California Fungi Bibliography

- Abbott, S.O. & Currah, R.S.** (1997). The Helvellaceae: Systematic revision and occurrence in northern and northwestern North America. *Mycotaxon* 62: 1-125.
- Adamčík, S.** (2002). Taxonomy of the *Russula xerampelina* group. Part 2. Taxonomic and nomenclatural study of *Russula xerampelina* and *R. erythropoda*. *Mycotaxon* 82: 241-267.
- Albee-Scott, S.** (2007). The phylogenetic placement of the Leucogastrales, including *Mycolevis siccigleba* (Cribbeaceae), in the Albatrellaceae using morphological and molecular data. *Mycol. Res.* 111(6): 653-662.
- Albee-Scott, S.R.** (2005). The phylogeny and phylogeography of two false-truffles, *Leucophleps spinispora* and *Hymenogaster sublilacinus*, in the Great Basin, USA. PhD Thesis. University of Michigan: Ann Arbor.
- Ammirati, J.F. & Smith, A.H.** (1977). Studies in the Genus *Cortinarius* III: Section *Dermocybe*, New North American Species. *Mycotaxon* 5(2): 381-397.
- Ammirati, J.F.** (1989). *Dermocybe*, sugenus Dermocybe, section Sanguineae in Northern California. *Mycotaxon* 34: 21-36.
- Ammirati, J.F., Thiers, H.D. & Horgen, P.A.** (1977). Amatoxin-containing mushrooms: *Amanita ocreata* and *A. phalloides* in California. *Mycologia* 69: 1095-1108.
- Antonín, V. & Buyck, B.** (2006). *Marasmius* (Basidiomycota, Marasmiaceae) in Madagascar and the Mascarenes. *Fungal Diversity* 23: 17-50.
- Antonín, V. & Noordeloos, M.E.** (1997). A Monograph of *Marasmius*, *Collybia* and related general in Europe. Part 2: *Collybia*, *Gymnopus*, *Rhodocollybia*, *Crinipellis*, *Chaetocalathus*, and additions to *Marasmius*. IHW - Verlag: Eching, Germany. 256 p.
- Antonín, V. & Noordeloos, M.E.** (2004). A monograph of the genera *Hemimycena*, *Delicatula*, *Fayodia*, *Gamundia*, *Myxomphalia*, *Resinomycena*, *Rickenella*, and *Xeromphalina* in Europe. IHW-Verlag: Eching, Germany. 279 p.
- Antonín, V. & Noordeloos, M.E.** (2010). A monograph of marasmioid and collybioid fungi in Europe. IHW-Verlag: Eching, Germany. 480 p.
- Antonín, V.** (1989). Type studies in Marasmioid and Collybioid Fungi (Tricholomataceae) II. *Agaricus graminum*. *Mycotaxon* 36(1): 19-27.
- Antonín, V.** (1999). Notes on the genus *Fayodia* s.l. (Tricholomataceae) - I. Type studies of European *Myxomphalia* species. *Mycotaxon* 73: 325-334.
- Antonín, V.** (2004). Notes on the genus *Fayodia* s.l. (Tricholomataceae) - II. Type studies of European species described in the genera *Fayodia* and *Gamundia*. *Persoonia* 18(3): 341-364.
- Arnold, J.D.** (1935). A Comparative Study of Certain Species of *Marasmius* and *Collybia* in Culture. *Mycologia* 27(4): 388-417.
- Arnolds, E.** (2003). Notulae ad floram agaricinam neerlandicam – XL. New combinations in *Conocybe* and *Pholiotina*. *Persoonia* 18(2): 225-230.
- Aronsen, A. & Læssøe, T.** (2016). The Genus *Mycena* s.l. Danish Mycological Society: Copenhagen, Denmark. 373 p.
- Arora, D. & Burk, W.R.** (1982). *Clathrus archeri*, a Stinkhorn New to North America. *Mycologia* 74: 501-504.
- Arora, D. & Dunham, S.M.** (2008). A New, Commercially Valuable Chanterelle Species, *Cantharellus californicus* sp. nov., Associated with Live Oak in California, USA. *Economic Botany* 62(3): 376-391
- Arora, D. & Frank, J.L.** (2014). Clarifying the butter Boletes: a new genus, *Butyriboletus*, is established to accommodate *Boletus* sect. *Appendiculati*, and six new species are described. *Mycologia* 106(3): 464-480.
- Arora, D.** (1986). *Mushrooms Demystified*. Ten Speed Press: Berkeley, CA. 959 p.
- Arora, D.** (2008). California Porcini: Three New Taxa, Observations on Their Harvest, and the Tragedy of No Commons. *Economic Botany* 62(3): 356-375.
- Arthur, J.C.** (1912). Cultures of Uredineae in 1911. *Mycologia* 4(2): 49-65.
- Atkinson, G.F.** (1902). Preliminary Notes on Some New Species of Fungi. *J. Mycol.* 8(3): 110-119.
- Atkinson, G.F.** (1908). Notes on some new species of fungi from the United States. *Annales Mycologici* 6: 54-62.
- Atkinson, G.F.** (1909). Preliminary notes on some new species of Agaricaceae and *Clavaria*. *Annales Mycologici* 7 (4): 365-376.

California Fungi Bibliography

- Baird, R.E. & Khan, S.R.** (1987). Spore Ornamentation of North American *Phellodon* Species. *Mycologia* 79(2): 334-337.
- Baird, R.E.** (1986). Study of the stipitate hydnums for the Southern Appalachian Mountains—Genera: *Bankera*, *Hydnellum*, *Phellodon*, *Sarcodon*. (Bibliotheca Mycologia: Band 103). J. Cramer: Berlin, Germany. 156 p.
- Baird, R.E.** (1986). Type Studies of North American and Other Related Taxa of Stipitate Hydnums: Genera *Bankera*, *Hydnellum*, *Phellodon*, *Sarcodon* (Bibliotheca Mycologia: Band 103). J. Cramer: Berlin, Germany. 89 p.
- Banerjee, P. & Sundberg, W.J.** (1995). The Genus *Pluteus* Section *Pluteus* (Pluteaceae, Agaricales) in the Midwestern United States. *Mycotaxon* 53: 189-246.
- Banker, H.J.** (1912). Type Studies in the Hydnceae: II. The Genus *Steccherinum*. *Mycologia* 4(6): 309-318.
- Banker, H.J.** (1913). Type Studies in the Hydnceae: V. The Genus *Hydnellum*. *Mycologia* 5(4): 194-205.
- Banker, Howard J.** (1913). Type Studies in the Hydnceae: III. The Genus *Sarcodon*. *Mycologia* 5: 1. 12-17.
- Baroni, T.J. & Both, E.E.** (1991). *Chalciporus piperatoides* in North America. *Mycotaxon* 83: 559-564.
- Baroni, T.J. & Largent, D.L.** (1989). The genus *Rhodocybe*: New combinations and a revised key to section *Rhodophana* in North America. *Mycotaxon* 34: 47-53.
- Baroni, T.J.** (1981). A revision of the genus *Rhodocybe* Maire (Agaricales). J. Cramer: Vaduz. 194 p.
- Bas, C.** (1983). *Flammulina* in Western Europe. *Persoonia* 12(1): 51-66.
- Bas, C.** (1983). On the application of the name *Agaricus lacrymabundus* Bull.: Fr. *Persoonia* 12(1): 103-106.
- Bas, C., Kuyper, T.W., Noordeloos, M.E. & Vellinga, E.C.** (1988). Flora Agaricina Neerlandica—Critical monographs on the families of agarics and boleti occurring in the Netherlands. Volume 1. Entolomataceae. A. A. Balkema: Rotterdam, Netherlands. 182 p.
- Bas, C., Kuyper, T.W., Noordeloos, M.E. & Vellinga, E.C.** (1990). Flora Agaricina Neerlandica—Critical monographs on the families of agarics and boleti occurring in the Netherlands. Volume 2. Pluteaceae, Tricholomataceae. A. A. Balkema: Rotterdam, Netherlands. 137 p.
- Bas, C., Kuyper, T.W., Noordeloos, M.E. & Vellinga, E.C.** (1995). Flora Agaricina Neerlandica—Critical monographs on the families of agarics and boleti occurring in the Netherlands. Volume 3. Tricholomataceae. A. A. Balkema: Rotterdam, Netherlands. 183 p.
- Bas, C., Kuyper, T.W., Noordeloos, M.E. & Vellinga, E.C.** (1999). Flora Agaricina Neerlandica—Critical monographs on the families of agarics and boleti occurring in the Netherlands. Volume 4. Strophariaceae, Tricholomataceae. A. A. Balkema: Rotterdam, Netherlands. 191 p.
- Bates, S.T.** (2004). Arizona members of the Geastraceae and Lycoperdaceae (Basidiomycota, Fungi). Masters Thesis. Arizona State University: Tempe, AZ. 445 p.
- Bates, S.T., Robertson, R.W. & Desjardin, D.E.** (2009). Arizona gasteroid fungi I: Lycoperdaceae (Agaricales, Basidiomycota). *Fungal Diversity* 37: 153-207.
- Beardslee, H.C.** (1905). The Rosy Spored Agarics or Rhodosporae. *The Journal of Mycology* 11(3): 109-110.
- Beaton, G., Peglar, D.N. & Young, T.W.K.** (1984). Gasteroid Basidiomycota of Victoria State, Australia. I. Hydningiaceae. *Kew Bull.* 39: 499-508.
- Beaton, G., Peglar, D.N. & Young, T.W.K.** (1985). Gasteroid Basidiomycota of Victoria State, Australia. III. Cortinariales. *Kew Bull.* 40(1): 167-204.
- Beker, H.J., Eberhardt, U. & Vesterholt, J.** (2016). *Hebeloma* (Fr.) P. Kumm. Edizioni Tecnografica: Lomazzo, Italy. 1217 p.
- Benjamin, D.R.** (1995). *Mushrooms: Poisons and Panaceas*. W. H. Freeman: New York, NY. 422 p.
- Berch, S.M. & Fortin, A.** (1983). Lectotypification of *Glomus macrocarpum* and proposal of new combinations: *Glomus australe*, *Glomus versiforme*, and *Glomus tenebrosus* (Endogonaceae). *Can. J. Bot.* 61: 2608-2617.
- Berkeley, M. A.** (1873). Notices of North American Fungi. *Grevillea* 2(14): 17-20.

California Fungi Bibliography

- Berkeley, M.J. & Broome, C.E.** (1848). Notices of British fungi XXVII. *Annals and Magazine of Natural History*, Ser. 2 2: 259-268.
- Berkeley, M.J. & Broome, C.E.** (1854). Notices of British fungi XXXV. *Annals and Magazine of Natural History*, Ser. 2 12: 396-407.
- Berkeley, M.J. & Curtis, M.A.** (1859). Centuries of North American Fungi. *Annals and Magazine of Natural History* 3(4): 284-296.
- Berkeley, M.J.** (1873). Notices of North American Fungi. *Grevillea* 2(14): 33-35.
- Berkeley, M.J.** (1873). Notices of North American Fungi. *Grevillea* 2(16): 49-53.
- Berkeley, M.J., Curtis, M.A.** (1869). Fungi Cubensis (Hymenomycetes). *Journal of the Linnean Society of London. Botany* 10 (45): 280–341.
- Bernicchia, A. & Gorjón, S.P.** (2010). Corticiaceae s.l. Edizioni Candusso: Alassio, Italy. 1008 p.
- Bernicchia, A.** (2005). Polyporaceae s.l. (Fungi Europaei). Edizioni Candusso: Alassio, Italy. 807 p.
- Bérubé, J.A. & Dessureault, M.** (1988). Morphological characterization of *Armillaria ostoyae* and *Armillaria sinapina* sp.nov. *Canadian Journal of Botany Can. J. Bot.* 66(10): 2027-2034.
- Bessette, A.E., Bessette, A.R., Roody, W.C. & Trudell, S.A.** (2013). *Tricholomas of North America*. University of Texas Press: Austin, TX. 208 p.
- Bessette, A.E., Roody, W.C. & Bessette, A.R.** (2000). *North American Boletes: A Color Guide to the Fleshy Pored Mushrooms*. Syracuse University Press: Syracuse, NY. 400 p.
- Beug, M.W., Bessette, A.E. & Bessette, A.R.** (2014). *Ascomycete Fungi of North America*. University of Texas Press: Austin, TX. 488 p.
- Bigelow, H.E. & Smith, A.H.** (1962). *Clitocybe* species for the western United States. *Mycologia* 64: 498-515.
- Bigelow, H.E. & Smith, A.H.** (1973). *Cantharocybe*, a New Genus of Agaricales. *Mycologia* 65: 485-488.
- Bigelow, H.E.** (1970). *Omphalina* in North America. *Mycologia* 62(1): 1-32.
- Bigelow, H.E.** (1973). The genus *Clitocybula*. *Mycologia* 65(5): 1101-1116.
- Bigelow, H.E.** (1975). Studies in the Tricholomataceae: *Hygrophoropsis*, *Cantharellula*, *Myxomphalia*, *Omphaliaster*. *Beih. Nova Hedw.* 51: 61-77.
- Bigelow, H.E.** (1976). Studies on some lignicolous *Clitocybe*. *Mem. New York Bot. Gard.* 28(1): 9-15.
- Bigelow, H.E.** (1977). New Taxa of *Clitocybe*. *Mycotaxon* 6(1): 181-185.
- Bigelow, H.E.** (1978). The Cantharelloid Fungi of New England and Adjacent Areas. *Mycologia* 70(4): 707-756.
- Bigelow, H.E.** (1979). A contribution to *Tricholoma*. *Sydowia Beih.* 8: 54-62.
- Bigelow, H.E.** (1982). North American Species of *Clitocybe*. Part I. J. Cramer: Vaduz, Liechtenstein. 280 p.
- Bigelow, H.E.** (1985). North American Species of *Clitocybe*. Part II. J. Cramer: Berlin, Germany. 241 p.
- Bigelow, H.E., Miller Jr., O.K. & Thiers, H.D.** (1976). A new species of *Omphalotus*. *Mycotaxon* 3(3): 363-372.
- Bird, C.J. & Grund, D.W.** (1979). Nova Scotian Species of *Hygrophorus*. The Nova Scotia Museum: Nova Scotia. 131 p.
- Bird, C.J. & Grund, D.W.** (1979). Nova Scotian Species of *Hygrophorus*. The Nova Scotia Museum: Nova Scotia. 131 p.
- Blanco-Dios, J.B.** (2015). Notas sobre el género *Entoloma* en el Noroeste de la Península Ibérica (VII): nuevas combinaciones y nuevos nombres. *Tarrelos.* 17:32-38.
- Boertmann, D.** (1996). The Genus *Hygrocybe* (Fungi of Northern Europe, Vol. 1). Danish Mycological Society: Copenhagen, Denmark. 184 p.
- Boertmann, D.** (2010). The Genus *Hygrocybe* (2nd revised edition). Danish Mycological Society: Copenhagen, Denmark. 200 p.
- Bojantchev, D. & Davis, M.** (2013). *Amanita augusta*, a new species from California and the Pacific Northwest. *North American Fungi* 8(5): 1-11.
- Bojantchev, D. & Davis, R.M.** (2011). *Cortinarius xanthodryophilus* sp. nov. a common *Phlegmacium* under oaks in California. *Mycotaxon* 116(1): 317-328.
- Bojantchev, D., Pennycook, S.R. & Davis, R.M.** (2011). *Amanita vernicoccora* sp. nov. the vernal fruiting 'coccora' from California. *Mycotaxon* 117(1): 485-497.

California Fungi Bibliography

- Bonito, G., Trappe, J.M., Rawlinson, P. & Vilgalys, R.** (2010). Improved resolution of major clades within *Tuber* and taxonomy of species within the *Tuber gibbosum* complex. *Mycologia* 102(5): 1042-1057.
- Bottomley, A.M.** (1948). Gasteromycetes of South Africa. *Bothalia* 4(III): 473-810.
- Bougher, N.L. & Castellano, M.A.** (1993). Delimitation of *Hymenogaster* sensu stricto and Four New Segregate Genera. *Mycologia* 85(2): 273-293.
- Bougher, N.L. & Syme, K.** (1998). Fungi of Southern Australia. University of Western Australia Press: Nedlands, Australia. 391 p.
- Braaten, C.C., Matheny, P.B. et al.** (2013). Two new species of *Inocybe* from Australia and North America that include novel secotioid forms. *Botany* 92(1): 9-22.
- Brandrud, T.E., Lindström, H., Marklund, H., Melot, J. & Muskos, S.** (1992). *Cortinarius* Flora Photographica, Vol. 2. *Cortinarius* HB: Matfors, Sweden. 60 il + 40 p.
- Brandrud, T.E., Lindström, H., Marklund, H., Melot, J. & Muskos, S.** (1994). *Cortinarius* Flora Photographica, Vol. 3. *Cortinarius* HB: Matfors, Sweden. 60 il + 35 p.
- Breitenbach, J. & Kränzlin, F.** (1984). Fungi of Switzerland. Volume 1: Ascomycetes. Verlag Mykologia: Luzern, Switzerland. 310 p.
- Breitenbach, J. & Kränzlin, F.** (1986). Fungi of Switzerland. Volume 2: Non-Gilled Fungi. Verlag Mykologia: Luzern, Switzerland. 412 p.
- Breitenbach, J. & Kränzlin, F.** (1991). Fungi of Switzerland. Volume 3: Boletes and Agarics (1st Part). Strobilomycetaceae, Boletaceae, Paxillaceae, Gomphidiaceae, Hygrophoraceae, Tricholomataceae, Polyporaceae (lamellate). Verlag Mykologia: Luzern, Switzerland. 361 p.
- Breitenbach, J. & Kränzlin, F.** (1995). Fungi of Switzerland. Volume 4: Agarics (2nd Part). Entolomataceae, Pluteaceae, Amanitaceae, Agaricaceae, Coprinaceae, Strophariaceae. Verlag Mykologia: Luzern, Switzerland. 368 p.
- Breitenbach, J. & Kränzlin, F.** (2000). Fungi of Switzerland. Volume 5: Agarics (3rd Part). Cortinariaceae. Verlag Mykologia: Luzern, Switzerland. 338 p.
- Bridge, P.D., Spooner, B.M., Beever, R.E. & Park, D.-C.** (2008). Taxonomy of the fungus commonly known as *Stropharia aurantiaca* with new combinations in *Leratiomyces*. *Mycotaxon* 103: 109-121.
- Brodie, Harold J.** (1975). *The Bird's Nest Fungi*. University of Toronto Press: Toronto, Canada. 200 p.
- Bruns, T.D., Grubisha, L.C., Trappe, J.M., Kerekes, J.F. & Vellinga, E.C.** (2010). *Suillus quiescens*, a new species commonly found in the spore bank in California and Oregon. *Mycologia* 102(2): 438-446.
- Burdsall Jr., H.H. & Banik, M.T.** (2001). The Genus *Laetiporus* in North America. *Harvard Papers in Botany* 6: 43-55.
- Burdsall Jr., H.H. & Miller Jr., O.K.** (1988). Type studies and nomenclatural considerations in the genus *Sparassis*. *Mycotaxon* 31(1): 199-206.
- Burlingham, G.S.** (1913). The Lactarieae of the Pacific Coast. *Mycologia* 5(6): 305-311.
- Burlingham, G.S.** (1915). *Russula*. *North American Flora* 9(4): 201-236.
- Burlingham, G.S.** (1936). New or Noteworthy Species of *Russula* and *Lactaria*. *Mycologia* 28(3): 253-267.
- Burlingham, G.S.** (1944). Studies in North American Russulae. *Mycologia* 36(1): 104-120.
- Burlingham, G.S.** (1945). Noteworthy Species of *Lepiota* and *Lactaria*. *Mycologia* 37(1): 53-64.
- Burt, E.A.** (1914). The Thelephoraceae of North America. I. *Thelephora*. *Ann. Missouri Bot. Gard.* 1: 185-228.
- Burt, E.A.** (1916). The Thelephoraceae of North America. VI. *Hypochnus*. *Ann. Missouri Bot. Gard.* 3: 203-241.
- Burt, E.A.** (1918). The Thelephoraceae of North America. X. *Hymenochaete*. *Ann. Missouri Bot. Gard.* 5: 301-372.
- Burt, E.A.** (1920). The Thelephoraceae of North America. XII. *Stereum*. *Ann. Missouri Bot. Gard.* 7: 81-248.
- Burt, E.A.** (1921). Some North American Tremellaceae, Dacryomycetaceae, and Auriculariaceae. *Ann. Missouri Bot. Gard.* 8(4): 361-396.
- Calonge, F.D.** (1998). *Flora Mycologica Iberica*. Vol. 3. Gasteromycetes, I. Lycoperdales, Nidulariales, Phallales, Sclerodermatales, Tulostomatales. J. Cramer: Berlin, Germany. 271 p.

California Fungi Bibliography

- Candusso, M. & Lanzoni, G.** (1990). *Lepiota* s.l. Giovanna Biella: Saronno, Italy. 744 p.
- Cannon, P.** (2012). Systematics, barcoding and ecology of fungi from waxcap grasslands in Britain. Project Report to DEFRA 4: 1-17.
- Cantrell, S. & Lodge, D.J.** (2000). Hygrophoraceae of the Greater Antilles: *Hygrocybe* subgenus *Hygrocybe*. Mycol. Res. 104(7): 873-878.
- Carbone, M., Agnello, C. & Alvarado, P.** (2013). Phylogenetic studies in the family Sarcosomataceae (Ascomycota, Pezizales). Ascomycete.org 5(1): 1-12.
- Carbone, M., Agnello, C. & Parker, A.** (2013). *Urnula padeniana* (Pezizales) sp. nov. and the type study of *Bulgaria mexicana*. Ascomycete.org 5(1): 13-24.
- Carlsen, T., Engh, I.B., Decock, C., Rajchenberg, M. & Kausrud, H.** (2011). Multiple cryptic species with divergent substrate affinities in the *Serpula himantioides* species complex. Fungal Biology 115(1): 54-61.
- Castellano, M.A.** (1988). The taxonomy of the genus *Hysterangium* (Hysterangiaceae, Basidiomycotina) with notes on its ecology. Ph.D. Dissertation. Oregon State University: Corvallis, OR. 238 p.
- Castellano, M.A.** (1990). The new genus *Trappea* (Basidiomycotina, Hysterangiaceae), a segregate from *Hysterangium*. Mycotaxon 38: 1-9.
- Castellano, M.A., Cázares, E., Fondrick, B. & Dreisbach, T.** (2003). Handbook to additional fungal species of special concern in the Northwest Forest Plan (Gen. Tech Rep. PNW-GTR-572). U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: Portland, OR. 144 p.
- Castellano, M.A., Smith, J.E., O'Dell, T., Cázares, E. & Nugent, S.** (1999). Handbook to Strategy 1 Fungal Species in the Northwest Forest Plan. U. S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: Portland, OR. 195 p.
- Christensen, M. & Heilmann-Clausen, J.** (2013). The Genus *Tricholoma*. Danish Mycological Society: Copenhagen, Denmark. 228 p.
- Cleland, J. B.** (1934). Australian Fungi: Notes & Descriptions—No. 10. Trans. Royal Soc. S. Australia. 58: 211-214.
- Co-David, D., Langeveld, D. & Noordeloos, M.E.** (2009). Molecular phylogeny and spore evolution of Entolomataceae. Persoonia 23: 147-176.
- Coker, W.C. & Beers, A.H.** (1951). The Stipitate Hydnums of the Eastern United States. The University of North Carolina Press: Chapel Hill, NC. 211 p.
- Coker, W.C. & Couch, J.N.** (1928). The Gasteromycetes of the Eastern United States and Canada. University of North Carolina Press: Chapel Hill, NC. 201 p.
- Coker, W.C. & Couch, J.N.** (1974). The Gasteromycetes of the Eastern United States and Canada. Dover Publications, Inc: New York, NY. 201 p.
- Coker, W.C.** (1921). Notes on the Thelephoraceae of North Carolina. Journal of the Elisha Mitchell Scientific Society 36: 146-196.
- Coker, W.C.** (1974). The Club and Coral Mushrooms (Clavarias) of the United States and Canada. Dover Publications, Inc: New York, NY. 209 p.
- Cooke, W.B.** (1957). The Genera *Serpula* and *Meruliporia*. Mycologia 49(2): 197-225.
- Cooke, W.B.** (1961). The Cyphellaceous Fungi: A Study in the Porotheleaceae. Sydowia Beih. 4: 1-144.
- Cooke, W.B.** (1961). The Genus *Schizophyllum*. Mycologia 53(6): 575-599.
- Corner, E.J.H.** (1950). A Monograph of *Clavaria* and Allied Genera. Oxford University Press: London, England. 740 p.
- Corner, E.J.H.** (1953). Addenda Clavariaceae. III. Ann. Bot. 17(2): 347-368.
- Corner, E.J.H.** (1966). A Monograph of Cantharelloid Fungi. Oxford University Press: London, England. 255 p.
- Corner, E.J.H.** (1968). A Monograph of *Thelephora* (Basidiomycetes). J. Cramer: Lehre. 110 p.
- Corner, E.J.H.** (1970). Supplement to "A Monograph of *Clavaria* and Allied Genera". Beih. Nova Hedw. 53: 1-299.
- Crawford, D.A.** (1954). Studies on New Zealand Clavariaceae. I. Trans. R. Soc. N. Z. 82: 617-631.
- Cripps, C.L.** (1997). The Genus *Inocybe* in Montana Aspen Stands. Mycologia 89: 670-688.
- Cripps, C.L.** (2009). Snowbank Fungi Revisited. Fungi 2(1): 47-53.

California Fungi Bibliography

- Cunningham, G.H.** (1944). The Gasteromycetes of Australia and New Zealand. Privately Published: Dunedin, N. Z. 236 p.
- Dai, Y.-C., Wang, Z., Binder, M. & Hibbett, D.S.** (2006). Phylogeny and a new species of *Sparassis* (Polyporales, Basidiomycota): evidence from mitochondrial atp6, nuclear rDNA and rpb2 genes. *Mycologia* 98(4): 584-592.
- Davidson, R.W. & Cash, E.K.** (1933). Species of *Sclerotinia* from Grand Mesa National Forest, Colorado. *Mycologia* 25(4): 266-273.
- Davis, R.M., Sommer, R. & Menge, J.A.** (2012). Field Guide to Mushrooms of Western North America. University of California Press: Berkeley, CA. 460 p.
- De, A.B.** (1997). Taxonomy of *Royoporus badius* comb. nov. *Mycotaxon* 65: 469-474.
- Denison, W.C.** (1964). The genus *Cheilymenia* in North America. *Mycologia* 56: 718-737.
- Dennis, R. W. G.** (1981). British Ascomycetes. J. Cramer: Vaduz, Liechtenstein. 585 p.
- Dennis, R.W. & Wakefield, E.M.** (1946). New or interesting British fungi. *Transactions of the British Mycological Society* 29(3): 141-166.
- Dennis, R.W.G.** (1963). Remarks on the genus *Hymenoscyphus* S. F. Gray, with observations on sundry species by Saccardo and others to the genera *Helotium*, *Pezizella* or *Phialea*. *Persoonia* 3(1): 29-80.
- Dennis, R.W.G.** (1981). British Ascomycetes. J. Cramer: Vaduz, Liechtenstein. 585 p.
- Dentinger, B.T., Ammirati, J.F., Both, E.E., Desjardin, D.E., Halling, R.E., Henkel, T.W., Moreau, P.-A., Nagasawa, E., Soyong, K., Taylor, A.F., Watling, R., Moncalvo, J.-M. & McLaughlin, D.J.** (2010). Molecular phylogenetics of porcini mushrooms (*Boletus* section *Boletus*). *Molecular Phylogenetics and Evolution* 57(3): 1276-1292.
- Desjardin D.E.** (1985). The Marasmioid Fungi of California. Masters Thesis. San Francisco State University: San Francisco, CA. 287 p.
- Desjardin, D.E. & Halling, R.E.** (1987). California Collybias. I. *Collybia bakerensis*: a common snowbank agaric. *Mycotaxon* 29: 321-327.
- Desjardin, D.E.** (1987). The Agaricales (Gilled Fungi) of California. 7. Tricholomataceae I. Marasmioid Fungi. Mad River Press: Eureka, CA. 100 p.
- Desjardin, D.E.** (2000). *Strobilurus diminutivus*: a new species from Montane California, USA. In *Micologia 2000* (eds. Associazione Micologica Bresadola) pp. 137-142. Grafica Sette: Brescia, Italy.
- Desjardin, D.E.** (2003). A unique ballistosporic hypogeous sequestrate *Lactarius* from California. *Mycologia* 95(1): 148-155.
- Desjardin, D.E.** (2004). A new species of *Pseudobaespora* from California. *Mycotaxon* 90: 69-76.
- Desjardin, D.E., Halling, R.E. & Hemmes, D.E.** (1999). Agaricales of the Hawaiian Islands. 5. The genera *Rhodocollybia* and *Gymnopus*. *Mycologia* 91(1): 166-176.
- Desjardin, D.E., Halling, R.E. & Perry, B.A.** (1997). *Gymnopus villosipes*—a common collybioid agaric from California. *Mycotaxon* 64: 141-147.
- Desjardin, D.E., Wood, M.G. & Stevens, F.A.** (2015). California Mushrooms: The Comprehensive Identification Guide. Timber Press: Portland, OR. 560 p.
- Desjardin, Dennis E.** (1985). The Marasmioid Fungi of California. Masters Thesis. San Francisco State University: San Francisco, CA. 287 p.
- Desjardin, Dennis E.** (1987). New and Noteworthy Marasmioid Fungi from California. *Mycologia* 79: 123-134.
- Desjardin, Dennis E.** (1987). The Agaricales (Gilled Fungi) of California. 7. Tricholomataceae I. Marasmioid Fungi. Mad River Press: Eureka, CA. 100 p.
- Desjardin, Dennis E.** (1995). A preliminary accounting of the worldwide members of *Mycena* sect. *Sacchariferae*. *Bibliotheca Mycologica* 159: 1-89.
- Dick, E.A. & Snell, W.H.** (1960). Notes on Boletes. XIII. *Mycologia* 52(3): 444-454.
- Dimitrova, E.** (2000). A taxonomic study of Hyaloscyphaceae in Bulgaria. II. *Dasyscyphus*, *Lachnum*, *Trichopezizella*. *Phytologia Balcanica* 6(1): 133-145.
- Dodge, C.W. & Zeller, S.M.** (1934). *Hymenogaster* and related genera. *Ann. Missouri Bot. Gard.* 21: 625-708.
- Domínguez de Toledo, L.S. & Castellano, M.A.** (1996). A Revision of the Genera *Radiigera* and *Pyrenogaster*. *Mycologia* 88(5): 863-884.

California Fungi Bibliography

- Donk, M.A.** (1962). Generic names proposed for the Agaricaceae. *Beih. Nova Hedw.* 5: 1-320.
- Doty, M.S.** (1944). *Clavaria*, the Species Known from Oregon and the Pacific Northwest. Oregon State College: Corvallis, OR. 91 p.
- Doveri, F.** (2004). *Fungi Fimicoli Italici*. Associazione Micologica Bresadola: Trento, Italy. 1104 p.
- Dring, D.M.** (1980). Contributions towards a rational arrangement of the Clathraceae. Royal Botanic Gardens: Kew, Surrey, England. 96 p.
- Duffy, T.J.** (2008). Toxic Fungi of Western North America. (<http://www.mykoweb.com/TFWNA>)
- Durand, E.J.** (1908). The Geoglossaceae of North America. *Ann. Myc.* 6: 387-477.
- Earle, F.S.** (1905). Mycological Studies II. *Bull. N. Y. Bot. Gard.* 3(5): 289-463.
- Eberhardt, U. & Beker, H.J.** (2015). Decrypting the *Hebeloma crustuliniforme* complex: European species of *Hebeloma* section *Denudata* subsection *Denudata* (Agaricales). *Persoonia* 35: 101-147.
- Ellis, J.B. & Everhart B.M.** (1885) *New Fungi*. *Journal of Mycology* 1(12): 148-154.
- Ellis, M.B. & Ellis, J.P.** (1990). *Fungi without Gills* (Hymenomyces and Gasteromyces). Chapman and Hall: London, England. 329 p.
- Exeter, R.L., Norvell, L. & Cázares, E.** (2006). *Ramaria* of the Pacific Northwestern United States. United States Department of Interior, Bureau of Land Management: Salem, OR. 157 p.
- Fogel, R. & Trappe, J.M.** (1985). *Destuntzia*, a New Genus in the Hymenogastraceae (Basidiomycotina). *Mycologia* 77(5): 732-742.
- Fogel, R.** (1979). The genus *Leucophleps* (Basidiomycetes, Leucogastrales). *Can. J. Bot.* 57: 1718-1728.
- Fogel, R.** (1985). Studies on *Hymenogaster* (Basidiomycetes): a re-evaluation of the subgenus *Dendrogaster*. *Mycologia* 77: 72-82.
- Fogel, R.** (1994). Materials for a Hypogeous Mycoflora of the Great Basin and Adjacent Cordilleras of the Western United States II. Two Subemergent Species *Cortinarius saxamontanus*, sp. nov., and *C. magnivelatus*, Plus Comments on Their Evolution. *Mycologia* 86: 795-801.
- Fogel, Robert** (1975). The Genus *Leucogaster* (Basidiomycetes - Leucogastraceae). Ph.D. Dissertation. Oregon State University: Corvallis, OR. 114 p.
- Foltz, M.J., Perez, K.E. & Volk, T.J.** (2013). Molecular phylogeny and morphology reveal three new species of *Cantharellus* within 20 m of one another in western Wisconsin, USA. *Mycologia* 105(2): 447-461.
- Frank, J.L.** (2014). Nomenclatural Novelties. *Index Fungorum* No. 179: 1.
- Frank, J.L.** (2014). Nomenclatural Novelties. *Index Fungorum* No. 194: 1.
- Frank, J.L.** (2015). Nomenclatural Novelties. *Index Fungorum* No. 249: 1.
- Frank, J.L.** (2015). Nomenclatural Novelties. *Index Fungorum* No. 248: 1.
- Freeman, A.E.H.** (1979). *Agaricus* in the southeastern United States. *Mycotaxon* 8(1): 50-118.
- Fuckel, K.W.G.L.** (1870). *Symbolae mycologicae*. Beiträge zur Kenntniss der Rheinischen Pilze. J. Niedner: Wiesbaden. 459 p.
- Geml, J., Geiser, D.M. & Royse, D.J.** (2004). Molecular evolution of *Agaricus* species based on ITS and LSU rDNA sequences. *Mycological Progress* 3(2): 157-176.
- Geml, J., Kauff, F., Brochmann, C., Lutzoni, F., Laursen, G.A., Redhead, S.A. & Taylor, D.L.** (2012). Frequent circumarctic and rare transequatorial dispersals in the lichenised agaric genus *Lichenomphalia* (Hygrophoraceae, Basidiomycota). *Fungal Biology* 116(3): 388-400.
- Geml, J., Laursen, G.A., K., O., Nusbaum, C. & Taylor, D.L.** (2006). Beringian origins and cryptic speciation events in the fly agaric (*Amanita muscaria*). *Molecular Ecology* 15: 225-239.
- Gerdemann, J. W. & Trappe, James M.** (1974). The Endogonaceae in the Pacific Northwest (Mycologia Memoir No. 5). New York Botanical Garden: New York, NY. 76 p.
- Giachini A.** (2004). Systematics, Phylogeny, and Ecology of *Gomphus* sensu lato. Ph.D. Dissertation. Oregon State University: Corvallis, OR. 446 p.
- Giachini, A., Hosaka, K., Nouhra, E., Spatafora, J. & Trappe, J.M.** (2010). Phylogenetic relationships of the Gomphales based on nuc-25S-rDNA, mit-12S-rDNA, and mit-atp6-DNA combined sequences. *Fungal Biology* 114(2-3): 224-234.

California Fungi Bibliography

- Giachini, A.J. & Castellano, M.A.** (2011). A new taxonomic classification for species in *Gomphus* sensu lato. *Mycotaxon* 115(1): 183-201.
- Gilbertson, R.L. & Ryvarden, L.** (1986). North American Polypores, vol. 1. *Fungiflora*: Oslo, Norway. 433 p.
- Gilbertson, R.L. & Ryvarden, L.** (1987). North American Polypores, vol. 2. *Fungiflora*: Oslo, Norway. 452 p.
- Gilbertson, R.L.** (1974). *Fungi That Decay Ponderosa Pine*. University of Arizona Press: Tuscon, AZ. 197 p.
- Gilkey, H.M.** (1916). A revision of the Tuberales of California. University of California Publications in Botany 6: 275-356.
- Gilkey, H.M.** (1939). Tuberales of North America. Oregon State College: Corvallis, OR. 63 p.
- Gilkey, H.M.** (1947). New or otherwise noteworthy species of Tuberales. *Mycologia* 39: 441-452.
- Gilkey, H.M.** (1954). Tuberales. *N. Amer. Fl. Ser.* II 1: 1-36.
- Gilliam, M.S.** (1975). New North American species of *Marasmius*. *Mycologia* 67: 817-844
- Gilliam, M.S.** (1976). The genus *Marasmius* in the northeastern United States and adjacent Canada. *Mycotaxon* 4: 1-144.
- Gillman, L.S. & Miller Jr., O.K.** (1977). A study of the boreal, alpine, and arctic species of *Melanoleuca*. *Mycologia* 69: 927-951.
- Ginns, J.** (1998). Genera of the North American Corticiaceae Sensu Lato. *Mycologia* 90(1): 1-35.
- Ginns, J.** (2017). Polypores of British Columbia (Fungi: Basidiomycota). Province of British Columbia: Victoria, BC. 260 p.
- Greene, D.F., Hesketh, M. & Pouden, E.** (2010). Emergence of morel (*Morchella*) and pixie cup (*Geopyxis carbonaria*) ascocarps in response to the intensity of forest floor combustion during a wildfire. *Mycologia* 102(4): 766-773.
- Greville, R.K.** (1825). *Scottish Cryptogamic Flora* Vol. III. MacLachlan & Stewart: Edinburgh, Scotland.
- Grilli, E., Beker, H.J., Eberhardt, U., Schütz, N., Leonardi, M. & Vizzini, A.** (2015). Unexpected species diversity and contrasting evolutionary hypotheses in *Hebeloma* (Agaricales) sections Sinapizantia and Velutipes in Europe. *Mycological Progress* 15(1): 1-46.
- Grove, W.B.** (1934). A systematic account and arrangement of the Pilobolidae. pp.190-224 in Buller AHR, *Researches on Fungi* Vol 6. Hafner Pub.: New York, N.Y.
- Grund, D.W. & Harrison, K.A.** (1976). Nova Scotian Boletes. *J. Cramer: Vaduz*. 283 p.
- Grund, D.W. & Stuntz, D.E.** (1981). Nova Scotian Inocybes. VI. *Mycologia* 73(4): 655-674.
- Gulden, G., Dunham, S. & Stockman, J.** (2001). DNA studies in the *Galerina marginata* complex. *Mycol. Res.* 105(4): 432-440.
- Guzmán, G. & Tapia, F.** (1998). The Known Morels in Mexico, a Description of a New Blushing Species, *Morchella rufobrunnea*, and New Data on *M. guatemalensis*. *Mycologia* 90(4): 705-714.
- Guzmán, G.** (1975). New and interesting species of Agaricales of Mexico. *Beih. Nova Hedw.* 51: 99-118.
- Guzmán, Gastón** (1983). The Genus *Psilocybe*. *J. Cramer: New York, NY*. 439 p.
- Hahn, G.G. & Ayers, T.T.** (1934). Dasyscyphae on Conifers in North America. III. *Dasyscypha Pini*. *Mycologia* 26(6): 479-501.
- Hall, D. & Stuntz, D.E.** (1971). Pileate Hydnaceae of the Puget Sound Area. I. White-Spored Genera: *Auriscalpium, Hericium, Dentinum* and *Phellodon*. *Mycologia* 63(6): 1099-1128.
- Hall, D. & Stuntz, D.E.** (1972). Pileate Hydnaceae of the Puget Sound Area. II. Brown-Spored Genera: *Hydnum*. *Mycologia* 64(1): 15-37.
- Hall, D. & Stuntz, D.E.** (1972). Pileate Hydnaceae of the Puget Sound Area. III. Brown-Spored Genus: *Hydnellum*. *Mycologia* 64(3): 560-590.
- Hallen, H.E., Watling, R. & Adams, G.C.** (2003). Taxonomy and Toxicity of *Conocybe apala* and Related Species. *Mycological Research* 107(8): 969-979.
- Halling, R.E.** (1977). California Boletes VI. Some unreported species from the Sierra Nevada of California. *Mycologia* 69: 206-210.
- Halling, R.E.** (1983). The Genus *Collybia* (Agaricales) in the Northeastern United States and Adjacent Canada. *J. Cramer: Braunschweig, Germany*. 148 p.
- Halling, R.E., Fechner, N., Nuhn, M., Osmundson, T., Soyong, K., Arora, D., Binder, M. & Hibbett, D.** (2015). Evolutionary relationships of *Heimioporus* and *Boletellus* (Boletales), with an

California Fungi Bibliography

- emphasis on Australian taxa including new species and new combinations in *Aureoboletus*, *Hemileccinum* and *Xerocomus*. *Aust. Systematic Bot.* 28(1): 1-22.
- Hansen, L. & Knudsen, H.** (1997). Nordic Macromycetes. Volume 3. Heterobasidoid, Aphyllophoroid, and Gastromycetoid Basidiomycetes. Nordsvamp: Copenhagen, Denmark. 444 p.
- Harkness, H.W.** (1885). Fungi of the Pacific Coast IV. *Bulletin of the California Academy of Sciences* 1(4): 256-268.
- Harkness, H.W.** (1885). Fungi of the Pacific Coast. *Bulletin of the California Academy of Sciences* 1(3): 159-176.
- Harkness, H.W.** (1899). Californian hypogeous fungi. *Proc. Calif. Acad. Sci.*, ser 3 1: 241-292.
- Harmaja, H.** (1973). Amendments of the limits of the genera *Gyromitra* and *Pseudorhizina*, with the description of a new species, *Gyromitra montana*. *Karstenia* 13: 48-58.
- Harrington, F.A.** (1990). *Sarcoscypha* in North America (Pezizales, Sarcoscyphaceae). *Mycotaxon* 38: 417-458.
- Harrington, F.A.** (1998). Relationships among *Sarcoscypha* Species: Evidence from Molecular and Morphological Characters. *Mycologia* 90(2): 235-243.
- Harrison, K.A.** (1964). New or little known North American stipitate hydnums. *Can. J. Bot.* 42(9): 1205-1233.
- Harrison, K.A.** (1973). The Genus *Hericium* in North America. *Michigan Botanist* 12: 177-194.
- Harrison, K.A.** (1984). New combinations in the genus *Sarcodon*. *Mich. Bot.* 23: 76.
- Hausknecht, A.** (2009). A monograph of the genera *Conocybe* Fayod & *Pholiotina* Fayod in Europe. Edizioni Candusso: Alassio, Italy. 968 p.
- Hausknecht, A.** (2009). A monograph of the genera *Conocybe* Fayod & *Pholiotina* Fayod in Europe. Edizioni Candusso: Alassio, Italy. 968 p.
- Hawker, L.E.** (1954). British hypogeous fungi. *Trans. of the Royal Soc. Lon.* ser. B 237: 429-546.
- Hedh, J., Samson, P., Erland, S. & Tunlid, A.** (2008). Multiple gene genealogies and species recognition in the ectomycorrhizal fungus *Paxillus involutus*. *Mycological Research* 112(8): 965-975.
- Henderson, D.M., Orton, P.D. & Watling, R.** (1969). *British Fungus Flora: Agarics and Boleti: Introduction*. HMSO: Edinburgh, Scotland. 58 p.
- Hesler, L.R. & Smith, A.H.** (1960). Studies on *Lactarius* II—The North American Species of Sections *Scrobiculus*, *Crocei*, *Theiogali*, and *Vellus*. *Brittonia* 12(4): 305-350.
- Hesler, L.R. & Smith, A.H.** (1963). North American Species of *Hygrophorus*. University of Tennessee Press: Knoxville, TN. 416 p.
- Hesler, L.R. & Smith, A.H.** (1965). North American Species of *Crepidotus*. Hafner Publishing Company: New York, NY. 168 p.
- Hesler, L.R. & Smith, A.H.** (1979). North American Species of *Lactarius*. University of Michigan Press: Ann Arbor, MI. 841 p.
- Holec, J.** (2001). The Genus *Pholiota* in Central and Western Europe. IHW-Verlag: Munich, Germany. 220 p.
- Holec, J.** (2005). The Genus *Gymnopilus* (Fungi, Agaricales) in the Czech Republic with Respect to Collections from the European Countries. *Acta Musei Nationalis Pragae, Series B, Historia Naturalis* 61(1-2): 1-52.
- Hooker, J.D.** (1855). Botany of the Antarctic Voyage. II. *Flora Novae-Zelandiae*. Part II. Flowerless Plants. Lovell Reeve: London. 378 p.
- Hora, F.B.** (1960). New check list of British agarics and boleti: Part IV. Validations, new species and critical notes. *Transactions of the British Mycological Society* 43(2): 440-459.
- Hosoya, T., Sasagawa, R., Hosaka, K., Gi-Ho, S., Hirayama, Y., Yamaguchi, K., Toyama, K. & Kakishima, M.** (2010). Molecular phylogenetic studies of *Lachnum* and its allies based on the Japanese material. *Mycoscience* 51(3): 170-181.
- Hotson, H.H.** (1940). The Genus *Armillaria* in Western Washington. *Mycologia* 32(6): 776-790.
- Hotson, J.W. & Lewis, E.** (1934). *Amanita pantherina* of Western Washington. *Mycologia* 26(5): 384-391.
- Hsieh, H.-M., Ju, Y.-M. & Rogers, J.D.** (2005). Molecular phylogeny of *Hypoxylon* and closely related genera. *Mycologia* 97(4): 844-865.
- Hu, F.-M., Zheng, R.-Y., & Chen, G.-Q.** (1989). A Redelimitation of the species of *Pilobolus*. *Mycosystema* 2:111-133.
- Hughes, K., Petersen, R.H., Mata, J.L., Psurtseva, N.V., Kovalenko, A.E., Morozova, O.V., Lickey,**

California Fungi Bibliography

- E.B., Blanco, J.C., Lewis, D.P., Nagasawa, E., Halling, R.E., Takehashi, S., Aime, M.C., Bau, T. & Henkel, T.W.** (2007). *Megacollybia* (Agaricales). Rep. Tottori Myco. Inst. 45: 1-57.
- Hughes, K.W., Mather, D.A. & Petersen, R.H.** (2010). A new genus to accommodate *Gymnopus acervatus* (Agaricales). *Mycologia* 102(6): 1463-1478.
- Hughes, K.W., Petersen, R.H., Johnson, J.E., Moncalvo, J.-M., Vilgalys, R., Redhead, S.A., Thomas, T. & McGhee, L.A.** (2001). Infragenic phylogeny of *Collybia* s. str. based on sequences of ribosomal ITS and LSU regions. *Mycol. Res.* 105(2): 164-172.
- Jarvis, S.S.** (2014). The Lycoperdaceae of California. Masters thesis. San Francisco State University: San Francisco, CA. 336 p.
- Jeffries, P. & McLain, L.** (2004). Synonymy between *Battarrea phalloides* and *B. stevenii*. *English Nature Research Reports* 625: 1-33.
- Jenkins, D.T. & Petersen, R.H.** (1976). A neotype specimen for *Amanita muscaria*. *Mycologia* 68: 463-469.
- Jenkins, D.T.** (1977). A Taxonomic and Nomenclatural Study of the Genus *Amanita* and Section *Amanita* for North America. J. Cramer: Vaduz. 126 p.
- Jenkins, D.T.** (1986). *Amanita* of North America. Mad River Press: Eureka, CA. 197 p.
- Jeppson, M., Nilsson, R.H. & Larsson, E.** (2013). European earthstars in Geastraceae (Geastrales, Phallomycetidae)—a systematic approach using morphology and molecular sequence data. *Systematics and Biodiversity* 11(4): 437-465.
- Jin, J., Hughes, K.W. & Petersen, R.H.** (2001). Biogeographical Patterns in *Panellus stypticus*. *Mycologia* 93(2): 309-316.
- Jin, J., Hughes, K.W. & Petersen, R.H.** (2001). Phylogenetic relationships of *Panellus* (Agaricales) and related species based on morphology and ribosomal large subunit DNA sequences. *Mycotaxon* 79: 7-21.
- Johannesson, H., Ryman, S., Lundmark, H. & Danell, E.** (1999). *Sarcodon imbricatus* and *S. squamosus*—two confused species. *Mycol. Res.* 103(11): 1447-1452.
- Johnson, J.E. & Methven, A.S.** (1994). *Panus conchatus*: Cultural Characters and Mating Data. *Mycologia* 86(1): 146-150.
- Ju, Y.-M. & Rogers, J.D.** (1996). A Revision of the Genus *Hypoxyton* (Mycologia Memoir No. 20). APS Press: St. Paul, MN. 365 p.
- Jülich, W.** (1972). Monographie der Athelieae (Corticiaceae, Basidiomycetes). *Willdenowia Beiheft* 7: 1-283.
- Justo, A. & Hibbett, D.S.** (2011). Phylogenetic classification of *Trametes* (Basidiomycota, Polyporales) based on a five-marker dataset. *Taxon* 60(6): 1567-1583.
- Justo, A., Vizzini, A., Minnis, A.M., Menolli Jr., N., Capelari, M., Rodríguez, O., Malysheva, E., Contu, M., Ghignone, S. & Hibbett, D.S.** (2011). Phylogeny of the Pluteaceae (Agaricales, Basidiomycota): taxonomy and character evolution. *Fungal Biology* 115(1): 1-20.
- Kalamees, K.** (2004). Palearctic Lyophyllaceae (Tricholomatales) in northern and eastern Europe and Asia. Estonian Academy Publishers: Tartu, Estonia. 135 p.
- Kanouse, B.B.** (1947). A Survey of the Discomycete Flora of the Olympic National Park and Adjacent Areas. *Mycologia* 39(6): 635-689.
- Kanouse, B.B.** (1949). Studies in the genus *Odidea*. *Mycologia* 41: 660-677.
- Kauffman, C.H.** (1918). The Agaricaceae of Michigan. Michigan Geological and Biological Survey: Ann Arbor, MI. 924 p.
- Kauffman, C.H.** (1921). The mycological flora of the higher Rockies of Colorado. *Pap. Mich. Acad. Sci.* 1: 101-150.
- Kauffman, C.H.** (1924). *Cortinarius*. *N. Am. Flora* 10(5): 282-348.
- Kauffman, C.H.** (1924). *Inocybe*. *N. Am. Flora* 10(4): 227-260.
- Kauffman, C.H.** (1925). The Genus *Gomphidius* in the United States. *Mycologia* 17(3): 113-126.
- Kauffman, C.H.** (1928). The Genus *Clitocybe* in The United States, with a Critical Study of All the North Temperate Species. *Papers of the Michigan Academy of Science, Arts, and Letters* 8: 153–214.
- Keirle, M.R.** (2003). Monograph of the Genus *Coprinus* sensu lato of the Hawaiian Archipelago. Masters Thesis. San Francisco State University: San Francisco, CA. 167 p.

California Fungi Bibliography

- Keirle, M.R., Hemmes, D.E. & Desjardin, D.E.** (2004). Agaricales of the Hawaiian Islands. 8. Agaricaceae: *Coprinus* and *Podaxis*; Psathyrellaceae: *Coprinopsis*, *Coprinellus* and *Parasola*. Fungal Diversity 15: 33-124.
- Kempton, P.E. & Wells, V.L.** (1970). Studies on the Fleshy Fungi of Alaska. IV. A Preliminary Account of the Genus *Helvella*. Mycologia 62(5): 940-959.
- Kennedy, L.L.** (1956). *Dacrymyces palmatus*. Mycologia 48: 311-319.
- Kennedy, L.L.** (1958). The Genus *Dacrymyces*. Mycologia 50(6): 896-915.
- Kerrigan, R.W.** (1979). Studies in *Agaricus* I. *Agaricus pattersonae*. Mycologia 71: 612-620.
- Kerrigan, R.W.** (1985). Studies in *Agaricus* II. *Agaricus lilaceps* Re-Evaluated. Mycologia 77: 137-141.
- Kerrigan, R.W.** (1985). Studies in *Agaricus* III. New species from California. Mycotaxon 12: 419-434.
- Kerrigan, R.W.** (1986). The Agaricales (Gilled Fungi) of California. 6. Agaricaceae. Mad River Press: Eureka, CA. 62 p.
- Kerrigan, R.W.** (2005). *Agaricus subrufescens*, a cultivated edible and medicinal mushroom, and its synonyms. Mycologia 97(1): 12-24.
- Kerrigan, R.W.** (2016). *Agaricus* of North America. New York Botanical Garden: Bronx, NY. 574 p.
- Kerrigan, R.W., Callac, P., Guinberteau, J., Challen, M.P. & Parra, L.** (2005). *Agaricus* section *Xanthodermatei*: a phylogenetic reconstruction with commentary on taxa. Mycologia 97: 1292-1315.
- Kibby, G.** (2003). Key to British species of *Russula* in the *R. xerampelina* group. Field Mycology 4(3): 93-100.
- Kibby, G.** (2013). Fungal Portraits No. 55 *Agaricus xanthodermus*. Field Mycology 14(3): 75-76.
- Kibby, G.** (2014). Fungal Portraits No. 57 *Lepiota subincarnata*. Field Mycology 15(1): 3-4.
- Kibby, G., Burnham, A. & Henrici, A.** (2009). *Cortinarius* subgenus *Myxacium*. Field Mycology 10(2): 41-55.
- Kits van Wavern, E.** (1982). Notes on the genus *Psathyrella*-VIII. Description of and key to the European species of the section *Hydrophila*. Persoonia 11(4): 473-508.
- Kits van Wavern, E.** (1985). The Dutch, French, and British Species of *Psathyrella*. Rijksherbarium: Leiden, Netherlands. 300 p.
- Klofac W.** (2010). Die Gattung *Aureoboletus*, ein weltweiter Überblick. Ein Beitrag zu einer monographischen Bearbeitung. Österreichische Zeitschrift für Pilzkunde 19: 133-174.
- Klofac, W.** (2011). Rotfußröhrlinge (Gattung *Xerocomellus*) in aktueller Sicht. Österreichische Zeitschrift für Pilzkunde 20: 35-43.
- Knudsen, H. & Vesterholt, J.** ed. (2008). Funga Nordica: Agaricoid, boletoid and cyphelloid genera. Nordsvamp: Copenhagen, Denmark. 965 p.
- Knudsen, H. & Vesterholt, J.** ed. (2012). Funga Nordica: Agaricoid, boletoid, clavarioid, cyphelloid and gastroid genera. Vol. 1. 511 p.
- Knudsen, H. & Vesterholt, J.** ed. (2012). Funga Nordica: Agaricoid, boletoid, clavarioid, cyphelloid and gastroid genera. Vol. 2. 572 p.
- Kobayashi, Takahito** (2002). The taxonomic studies of the genus *Inocybe*. Nova Hedwigia Beiheft 124. J. Cramer: Berlin. 246 p.
- Kohn, L.M.** (1979). A monographic revision of the genus *Sclerotinia*. Mycotaxon 9(2): 365-444.
- Korf, R.P.** (1957). Two Bulgarioid Genera: *Galiella* and *Plectania*. Mycologia 49(1): 107-111.
- Kotlaba, F.** (1966). Distribution of *Leucopaxillus gentianeus* (Quél.) comb. nov. in Czechoslovakia and notes on its nomenclature. Czech Mycol. 20(4): 229-236.
- Kout, J. & Hajšmanová, P.** (2015). *Kavinia alboviridis* in the Czech Republic. Czech Mycol. 67(1): 59-67.
- Kränzlin, F.** (2005). Fungi of Switzerland. Volume 6: Russulaceae. Verlag Mykologia: Luzern, Switzerland. 317 p.
- Kreisel, H.** (1967). Taxonomisch-Pflanzengeographische Monographie Der Gattung *Bovista*. J. Cramer: Lehre. 244 p.
- Kreisel, H.** (1973). Die Lycoperdaceae der DDR. J. Cramer: Lehre. 201 p.
- Kreisel, H.** (1989). Studies in the *Calvatia* complex (Basidiomycetes). Nova Hedwigia 48(3-4): 281-296.
- Kropp, B.R. & Matheny, P.B.** (2004). Basidiospore homoplasy and variation in the *Inocybe chelanensis* group in North America. Mycologia 96: 295-309.

California Fungi Bibliography

- Kuo, M., Dewsbury, D.R., O'Donnell, K., Carter, M.C., Rehner, S.A., Moore, J.D., Moncalvo, J.-M., Canfield, S.A., Stephenson, S.L., Methven, A.S. & Volk, T.J.** (2012). Taxonomic revision of true morels (*Morchella*) in Canada and the United States. *Mycologia* 104(5): 1159-1177.
- Kuo, M., Methven, A.S., Minnis, A.M. & Halling, R.E.** (2013). Studies of North American macrofungi, 1. Validation of *Lactarius rubidus* comb. nov. and *Leccinellum quercophilum* sp. nov. *Mycotaxon* 124(1): 323-332.
- Kuyper, Thomas W.** (1986). A Revision of the Genus *Inocybe* in Europe. I. Subgenus *Inesperma* and the Smooth-Spored Species of Subgenus *Inocybe*. Rijksherbarium: Leiden, Netherlands. 247 p.
- Ladurner, H. & Simonini, G.** (2003). *Xerocomus* s.l. Edizioni Candusso: Alassio. 527 p.
- Landeros, F., Iturriaga, T. & Guzmán-Dávalos, L.** (2012). Type studies in *Helvella* (Pezizales) 1. *Mycotaxon* 119(1): 35-63.
- Lange, J.E.** (1935-1940). Flora Agaricina Danica. Vol. 1-5.
- Lange, J.E.** (1993). Flora Agaricina Danica (reprint Candusso) Vol. I. G. Biella: Saronno, Italy.
- Lange, M.** (1956). Danish hypogeous macromycetes. *Dansk Bot. Arkiv.* 1: 1-84.
- Largent, D.L. & Thiers, H.D.** (1972). Rhodophylloid Fungi of the Pacific Coast (United States) II: New or Interesting Suggestive Taxa of *Nolanea*. *Northwest Science* 46(1): 32-39.
- Largent, D.L.** (1977). The Genus *Leptonia* on the Pacific Coast of the United States (*Bibliotheca Mycologia* 55). J. Cramer: Vaduz. 286 p.
- Largent, D.L.** (1985). The Agaricales (Gilled Fungi) of California. 5. Hygrophoraceae. Mad River Press: Eureka, CA. 208 p.
- Largent, D.L.** (1994). Entolomatoid Fungi of the Western United States and Alaska. Mad River Press: Eureka, CA. 516 p.
- Larsen, M.J. & Cobb-Poulsen, L.A.** (1990). *Phellinus* (Hymenochaetaceae)—A Survey of World Taxa. *Fungiflora*: Oslo, Norway. 206 p.
- Lavorato, C., Vizzini, A., Ge, Z.-W. & Contu, M.** (2015). Redescription of *Clitocybe umbrinopurpurascens* (Basidiomycota, Agaricales) and revision of *Neohygrophorus* and *Pseudoomphalina*. *Phytotaxa* 219(1): 43-57.
- Lawrey, J.D., Lücking, R., Sipman, H.J., Chaves, J.L., Redhead, S.A., Bungartz, F., Sikaroodi, M. & Gillevet, P.M.** (2009). High concentration of basidiolichens in a single family of agaricoid mushrooms (Basidiomycota: Agaricales: Hygrophoraceae). *Mycological Research* 113(10): 1154-1171.
- Lennox, J.W.** (1979). Collybioid genera in the Pacific Northwest. *Mycotaxon* 9(1): 117-231.
- Li, Y.C., Yang, Z.L. & Tolger, B.** (2009). Phylogenetic and biogeographic relationships of *Chroogomphus* species as inferred from molecular and morphological data. *Fungal Diversity* 38: 85-104.
- Light, W. & Woehrel, M.** (2009). Clarification of the Nomenclatural Confusion of the Genus *Sparassis* [Polyporales: Sparassidaceae] in North America. *Fungi* 2(4): 10-15.
- Lindsey, J.P. & Gilbertson, R.L.** (1978). Basidiomycetes that Decay Aspen in North America. J. Cramer: Vaduz. 406 p.
- Lingle, W.L., Porter, D. & O'Kane, D.J.** (1992). Preliminary Analysis of Genetic Complementation of Bioluminescence in *Panellus stypticus* Isolated from Pine and Hardwood. *Mycologia* 84(1): 94-104.
- Little, B.** (1991). A Systematic Study of *Hypholoma* and *Stropharia* for California. Masters Thesis. Humboldt State University: Arcata, CA. 114 p.
- Lodge, D.J. et al.** (2014). Molecular phylogeny, morphology, pigment chemistry and ecology in Hygrophoraceae (Agaricales). *Fungal Diversity* 64(1): 1-99.
- Long, W.H. & Stouffer, D.J.** (1946). Studies in the Gasteromycetes XIV the Genus *Chlamydomus*. *Mycologia* 38(6): 619-629.
- Long, W.H.** (1930). The Dehiscence of *Mycenastrum corium*. *Mycologia* 22(3): 103-105.
- Lowe, J.L.** (1942). The Polyporaceae of New York State (Except *Poria*). New York State College of Forestry: Syracuse, NY. 128 p.
- Lowe, J.L.** (1957). Polyporaceae of North America: The Genus *Fomes*. State University College of Forestry: Syracuse, NY. 97 p.
- Lowy, B.** (1971). Flora Neotropica, Monograph No. 6, Tremellales. Hafner Publishing Company: New York, NY. 154 p.

California Fungi Bibliography

- Mains, E.B.** (1954). North American species of *Geoglossum* and *Trichoglossum*. *Mycologia* 46: 586-631.
- Marino, E., Scattolin, L., Bodensteiner, P. & Agerer, R.** (2008). *Sistotrema* is a genus with ectomycorrhizal species – confirmation of what sequence studies already suggested. *Mycol Progress Mycological Progress* 7: 169-176.
- Marr, C.D. & Stuntz, D.E.** (1973). *Ramaria* of Western Washington (Bibliotheca Mycologica, Band 38). J. Cramer: Vaduz, Liechtenstein. 232 p.
- Martin, G.W.** (1932). On Certain Species of *Heterotextus*. *Mycologia* 24(2): 215-220.
- Martin, G.W.** (1944). The Tremellales of the North Central United States and Adjacent Canada. University of Iowa: Iowa City, IA. 88 p.
- Martin, G.W.** (1964). Revision of the North Central Tremellales. J. Cramer: Lehre. 122 p.
- Martin, K.J. & Gilbertson, R.L.** (1976). Cultural and Other Morphological Studies of *Sparassis radicata* and Related Species. *Mycologia* 68(3): 622-639.
- Martín, M. & Johannesson, H.** (2000). *Battarraea phalloides* and *B. stevenii*, insight into a long-standing taxonomic puzzle. *Mycotaxon* 76: 67-75.
- Mass Geesteranus, R.A.** (1971). Hydneous Fungi of the Eastern Old World. North Holland Publishing Company: Amsterdam, Netherlands. 175 p.
- Mass Geesteranus, R.A.** (1974). Studies in the Genera *Irpex* and *Steccherinum*. *Persoonia* 7(4): 443-581.
- Mass Geesteranus, R.A.** (1992). Mycenas of the Northern Hemisphere. I Studies in Mycenas and Other Papers. Koninklijke Nederlandse Akademie van Wetenschappen: Amsterdam, Netherlands. 391 p.
- Mass Geesteranus, R.A.** (1992). Mycenas of the Northern Hemisphere. II. Conspectus of the Mycenas of the Northern Hemisphere. Koninklijke Nederlandse Akademie van Wetenschappen: Amsterdam, Netherlands. 493 p.
- Masse, G.** (1893). New or Critical British Fungi. *Grevillea* 22(102): 38-45.
- Mata, J.L., Hughes, K.W. & Petersen, R.H.** (2004). Phylogenetic placement of *Marasmiellus juniperinus*. *Mycoscience* 45(3): 214-221.
- Matheny, P.B., Moreau, P.-A., Vizzini, A., Harrower, E., De Haan, A., Contu, M. & Curti, M.** (2014). *Crassisporium* and *Romagnesiella*: two new genera of dark-spored Agaricales. *Systematics and Biodiversity* 13(1): 28-41.
- Matheny, P.B., Vellinga, E.C., Bougher, N.L., Ceska, O., Moreau, P.-A., Neves, M.A. & Ammirati, J.F.** (2007). Taxonomy of displaced species of *Tubaria*. *Mycologia* 99(4): 569-585.
- McCleneghan S.C.** (1991). A Systematic Study of the Genus *Pholiota* (Fr.) Kummer in California. Masters Thesis. Humboldt State University: Arcata, CA. 160 p.
- McFarland, K.P. & Rimmer, C.C.** (1996). Horsehair fungus, *Marasmius androsaceus*, used as nest lining by birds of the subalpine spruce-fir community in the Northeastern United States. *Canadian Field Naturalist* 110: 541-543.
- McKnight, K.H.** (1969). A Note on *Discina*. *Mycologia* 61(3): 614-630.
- McNabb, R.F.R.** (1964). New Zealand Tremellales—I. *New Zeal. Journ. Bot.* 2: 403-414.
- McNabb, R.F.R.** (1965). Taxonomic Studies in the Dacrymycetaceae II. *Calocera* (Fries) Fries. *New Zeal. Journ. Bot.* 3: 31-58.
- McNabb, R.F.R.** (1965). Taxonomic Studies in the Dacrymycetaceae V. *Heterotextus* Lloyd. *New Zeal. Journ. Bot.* 3: 215-222.
- McNabb, R.F.R.** (1973). Taxonomic Studies in the Dacrymycetaceae VIII. *Dacrymyces* Nees ex Fries. *New Zeal. Journ. Bot.* 11: 461-524.
- Medardi, G.** (2006). *Ascomiceti d'Italia*. Centro Studi Micologici: Trento. 454 p.
- Methven, A.S.** (1989). Notes on *Clavariadelphus*. III. New and noteworthy species from North America. *Mycotaxon* 34(1): 153-179.
- Methven, A.S.** (1990). The Genus *Clavariadelphus* in North America. J. Cramer: Berlin, Germany. 192 p.
- Methven, A.S.** (1997). The Agaricales (Gilled Fungi) of California. 10. Russulaceae II. *Lactarius*. Mad River Press: Eureka, CA. 79 p.
- Methven, A.S.** (1998). *Lactarius* in California and Beyond: Introduction to Subgenera and Species of *Lactarius* in California. Privately Published: Charleston, IL. 22 p.
- Methven, A.S., Zelski, S.E. & Miller, A.N.** (2013). A molecular phylogenetic assessment of the genus *Gyromitra* in North America. *Mycologia* 105(5): 1306-1314.

California Fungi Bibliography

- Miller Jr., O.K.** (1964). Monograph of *Chroogomphus* (Gomphidiaceae). *Mycologia* 56: 526-549.
- Miller Jr., O.K.** (1965). Three New Species of Lignicolous agarics in the Tricholomataceae. *Mycologia* 57(6): 933-945.
- Miller Jr., O.K.** (1968). A revision of the genus *Xeromphalina*. *Mycologia* 60: 156-188.
- Miller Jr., O.K.** (1970). The genus *Panellus* in North America. *Mich. Bot.* 9: 17-30.
- Miller Jr., O.K.** (1971). The genus *Gomphidius* with a revised description of the Gomphidiaceae and a key to the genera. *Mycologia* 63(6): 1129-1163.
- Miller Jr., O.K.** (1984). A New Species of *Hygrophorus* from North America. *Mycologia* 76(5): 816-819.
- Miller Jr., O.K.** (2003). The Gomphidiaceae revisited: a worldwide perspective. *Mycologia* 95(1): 176-183.
- Miller Jr., O.K., Brace, R.-L. & Evenson, V.** (2005). A new subspecies of *Mycenastrum corium* from Colorado. *Mycologia* 97(2): 530-533.
- Miller, L.W.** (1935). The Hydnaceae of Iowa. IV. The Genera *Steccherinum*, *Auriscalpium*, *Hericium*, *Dentinum* and *Calodon*. *Mycologia* 27(4): 357-373.
- Minnis, A.M. & Sundberg, W.J.** (2010). *Pluteus* section *Celluloderma* in the U.S.A. *North American Fungi* 5(1): 1-107.
- Minter, D.W.** (2005). *Lachnellula calyciformis*. *IMI Descriptions of Fungi & Bacteria* 1642: 1-4.
- Mitchel, D.H. & Smith, A.H.** (1978). Notes on Colorado Fungi III: New and Interesting Mushrooms from the Aspen Zone. *Mycologia* 70(5): 1040-1063.
- Moncalvo, J.-M., Rehner, S.A. & Vilgalys, R.** (1993). Systematics of *Lyophyllum* Section *Difformia* Based on Evidence from Culture Studies and Ribosomal DNA Sequences. *Mycologia* 85(5): 788-794.
- Montecchi, A. & Mario, S.** (2000). Fungi Ipogei D'Europa. Associazione Micologica Bresadola: Trento, Italy. 714 p.
- Montoya, L. & Bandala, V.M.** (2007). *Hygrophorus virescens* is transferred to *Hygrocybe*. *Mycotaxon* 99: 345-346.
- Montoya, L., Bandala, V.M. & Jarvio, D.** (2005). New records of *Hygrocybe* from the Gulf of Mexico area. *Mycotaxon* 91: 471-480.
- Moravec, J.** (2005). A World Monograph of the genus *Cheilymenia* (Discomycetes, Pezizales, Pyronemataceae). IHW-Verlag: Munich. 256 p.
- Moreno, G, Esqueda, M., Pérez-Silva, E., Herrera, T. & Altés, A.** (2007). Some interesting gastroid and secotiid fungi from Sonora, Mexico. *Persoonia* 19(2): 265-280.
- Moreno, G., Altés, A., Ochoa, C. & Wright, J.E.** (1995). Contribution to the Study of the Tulostomataceae in Baja California, Mexico. I. *Mycologia* 87(1): 96-120.
- Moreno, G., Lizárraga, M., Esqueda, M. & Coronado, M.L.** (2010). Contribution to the study of gasteroid and secotiid fungi of Chihuahua, Mexico. *Mycotaxon* 112(1): 291-315.
- Morgan, A.P.** (1890). North American Fungi. *Journal of the Cincinnati Society of Natural History* 12: 163-172.
- Morse, E.E.** (1933). A study of the genus *Podaxis*. *Mycologia* 40: 1-33.
- Morse, E.E.** (1935). A New Puffball. *Mycologia* 27(2): 96-101.
- Morse, E.E.** (1941). A new polypore in Washington. *Mycologia* 33(5): 506-509.
- Morse, E.E.** (1941). A new western *Pholiota*. *Mycologia* 33: 367-370.
- Morse, E.E.** (1941). *Podaxis pistillaris*. II. *Mycologia* 33: 609-610.
- Morse, E.E.** (1943). Study of a new *Tricholoma*. *Mycologia* 35: 573-581.
- Moser, M. & Ammirati, J.F.** (1997). Studies on North American Cortinariid IV. New and interesting *Cortinarius* species (subgenus *Phlegmacium*) from oak forests in Northern California. *Sydowia* 49(1): 25-48.
- Moser, M. & Ammirati, J.F.** (1999). Studies in North American Cortinariid V. New and interesting Phlegmacia from Wyoming and the Pacific North West. *Mycotaxon* 72: 289-321.
- Moser, M. & Ammirati, J.F.** (2000). Studies in North American Cortinariid VI. New and interesting taxa in subgenus *Phlegmacium* from the Pacific states of North America. *Mycotaxon* 74(1): 1-36.
- Moser, M.** (1950) Neue Pilzfunde aus Tirol. Ein Beitrag zu Kenntnis der Pilzflora Tirols. *Sydowia* 4: 84-123.

California Fungi Bibliography

- Moser, M.** (1967). Kleine Kryptogamenflora von Mitteleuropa - Die Blätter- und Baupilze (Agaricales und Gastromycetes) IIb/2: 1-443.
- Mueller, G.M.** (1967). Designation of epitypes for *Laccaria proxima* and *Laccaria tortilis* (Agaricales). Mycotaxon 61: 205-208.
- Mueller, G.M.** (1984). New North American Species of *Laccaria* (Agaricales). Mycotaxon 20(1): 101-116.
- Mueller, G.M.** (1992). Systematics of *Laccaria* (Agaricales) in the Continental United States and Canada, with Discussions on Extralimital Taxa and Descriptions of Extant Taxa. Field Museum of Natural History: Chicago, IL. 192 p.
- Murrill, W.A. & Burlingham, G.S.** (1915). (Agaricales) Polyporaceae-Agaricaceae. North American Flora 9(4): 201-296.
- Murrill, W.A.** (1907). North American Flora: (Agaricales) Polyporaceae-Agaricaceae. 9(2): 73-132.
- Murrill, W.A.** (1907). North American Flora: (Agaricales) Polyporaceae-Agaricaceae. 9(3): 133-200.
- Murrill, W.A.** (1907). North American Flora: (Agaricales) Polyporaceae-Agaricaceae. 9(7): 461-542.
- Murrill, W.A.** (1907). North American Flora: (Agaricales) Polyporaceae-Agaricaceae. 9(5): 297-374.
- Murrill, W.A.** (1909). Illustrations of Fungi: II. Mycologia 1(2): 37-40.
- Murrill, W.A.** (1911). The Agaricaceae of Tropical North America: II. Mycologia 3(2): 79-91.
- Murrill, W.A.** (1912). Polyporaceae and Boletaceae of the Pacific Coast. Mycologia 4(2): 91-100.
- Murrill, W.A.** (1912). The Agaricaceae of the Pacific coast—I. Mycologia 4(4): 205-217.
- Murrill, W.A.** (1912). The Agaricaceae of the Pacific coast—II. Mycologia 4(5): 231-262.
- Murrill, W.A.** (1912). The Agaricaceae of the Pacific coast—III. Mycologia 4(6): 291-308.
- Murrill, W.A.** (1914). North American Flora: Agaricales, Agaricaceae (pars). 10(1): 1-76.
- Murrill, W.A.** (1915). Tropical Polypores. Privately Published: New York, NY. 117 p.
- Murrill, W.A.** (1915). Western Polypores. Privately Published: New York, NY. 41 p.
- Murrill, W.A.** (1916). North American Flora: (Agaricales) Polyporaceae-Agaricaceae. 9(5): 297-374.
- Murrill, W.A.** (1917). North American Flora: Agaricales, Agaricaceae (pars). 10(3): 145-226.
- Murrill, W.A.** (1922). Dark-Spored Agarics: II. *Gomphidius* and *Stropharia*. Mycologia 14(3): 121-142.
- Murrill, William Alphonso, C. H. Kauffman, and Lee Oras Overholts.** (1924) North American Flora: Agaricales, Agaricaceae (Pars). 10(4): 227-76.
- Nagy, L., G., Vágvölgyi, C. & Papp, T.** (2010). Type studies and nomenclatural revisions in *Parasola* (Psathyrellaceae) and related taxa. Mycotaxon 112(1): 103-141.
- Nakasone, K.K. & Sytsma, K.J.** (1993). Biosystematic Studies on *Phlebia acerina*, *P. rufa*, and *P. radiata* in North America. Mycologia 85(6): 996-1016.
- Nakasone, K.K.** (1990). Taxonomic Study of *Veluticeps* (Aphyllphorales). Mycologia 82(5): 622-641.
- Nakasone, K.K.** (2003). Type studies of resupinate hydneaceous Hymenomycetes described by Patouillard. Cryptogamie, Mycologie 24(2): 131-145.
- Neuman, J.J.** (1914). The Polyporaceae of Wisconsin. Wisconsin Geological and Natural History Survey: Madison, WI. 207 p.
- Nguyen, N.H., Landeros, F., Garibay-Orijel, R., Hansen, K. & Vellinga, E.C.** (2013). The *Helvella lacunosa* species complex in western North America: cryptic species, misapplied names and parasites. Mycologia 105(5): 1275-1286.
- Nishida, F.H.** (1987). The Genus *Inocybe* in Southern California (Agaricales, Basidiomycetes). Masters Thesis. California State University, Los Angeles: Los Angeles, CA. 315 p.
- Nishida, F.H.** (1988). New species of *Inocybe* from Southern California. Mycotaxon 33: 213-222.
- Nishida, F.H.** (1989). Key to the Species of *Inocybe* in California. Mycotaxon 34(1): 181-196.
- Niskanen, T., Liimatainen, K., Ammirati, J.F. & Hughes, K.** (2013). *Cortinarius* section Sanguinei in North America. Mycologia 105(2): 344-356.
- Noordeloos, M.E. & Antonín, V.** (2008). Contribution to a monograph of marasmioid and collybioid fungi in Europe. Czech Mycol. 60(1): 21-27.

California Fungi Bibliography

- Noordeloos, M.E.** (1992). *Entoloma* s.l. (Funghi Europaei, vol. 5). Giovanna Biella: Saronno. 760 p.
- Noordeloos, M.E.** (2004). *Entoloma* s.l. Supplement (Funghi Europaei, vol. 5A). Edizione Candusso: Alassio. 618 p.
- Noordeloos, M.E.** (2009). The genus *Deconica* (W. G. SM.) P. KARST. in Europe – new combinations. *Osterr. Z. Pilzk.* 18: 207-210.
- Noordeloos, M.E.** (2011). Strophariaceae s.l. Edizioni Candusso: Alassio, Italy. 648 p.
- Noordeloos, M.E., Kuyper, T.W. & Vellinga, E.C.** (2001). Flora Agaricina Neerlandica—Critical monographs on the families of agarics and boleti occurring in the Netherlands. Volume 5. Agaricaceae. A. A. Balkema: Lisse, Netherlands. 169 p.
- Noordeloos, M.E., Kuyper, T.W. & Vellinga, E.C.** (2005). Flora Agaricina Neerlandica—Critical monographs on the families of agarics and boleti occurring in the Netherlands. Volume 6. Coprinaceae & Bolbitiaceae. Taylor & Francis: Boca Raton, FL. 227 p.
- Norvell, L. & Exeter, R.L.** (2007). *Phaeocollybia* in western North America 5: *P. ochraceocana* sp. nov. and the *P. kauffmanii* complex. *Mycotaxon* 102: 315-332.
- Norvell, L., Ammirati, J.F. & Redhead, S.A.** (2008). Woody desert puffballs of the Pacific Northwest. 1: *Chlamydopus meyenianus*. *North American Fungi* 3(7): 127-138.
- Norvell, L.L. & Exeter, R.L.** (2009). *Phaeocollybia* of Pacific Northwest North America. US Department of Interior, BLM: Salem, OR. 229 p.
- Nuhn, M.E., Binder, M., Taylor, A.F., Halling, R.E. & Hibbett, D.S.** (2013). Phylogenetic overview of the Boletineae. *Fungal Biology* 117(7–8): 479-511.
- Nuytinck, J., Miller, S.L. & Verbeken, A.** (2006). A taxonomical treatment of the North and Central American species in *Lactarius* sect. *Deliciosi*. *Mycotaxon* 96: 261-307.
- Nuytinck, J., Verbeken, A. & Miller, S.L.** (2007). Worldwide phylogeny of *Lactarius* section *Deliciosi* inferred from ITS and glyceraldehyde-3-phosphate dehydrogenase gene sequences. *Mycologia* 99(6): 820-832.
- Oberwinkler, F.** (2012). The Basidiolichens. In the *Mycota IX: Fungal Associations* 2nd Ed (eds. B. Hock) pp. 341-362. Springer-Verlag: Berlin.
- Oguchi, T.** (1981). Studies on the species of *Lachnellula* in Hokkaido: their morphology, physiology, and pathogenicity. *Bulletin of the Hokkaido Forest Experiment Station* 19: 187-247.
- Olive, L.S.** (1947). Notes on the Tremellales of Georgia. *Mycologia* 39(1): 90-108.
- Orton, P.D. & Watling, R.** (1979). *British Fungus Flora: Agarics and Boleti. Vol 2. Coprinaceae: Coprinus.* Royal Botanic Garden: Edinburgh, Scotland. 149 p.
- Orton, P.D.** (1960). New check list of British agarics and boleti: Part III. Notes on genera and species in the list. *Transactions of the British Mycological Society* 43(2): 159-384.
- Orton, P.D.** (1986). *British Fungus Flora: Agarics and Boleti. Vol 4. Pluteaceae: Pluteus & Volvariella.* Royal Botanic Garden: Edinburgh, Scotland. 99 p.
- Orton, P.D.** 1969. Notes on British agarics III. *Notes Roy. Bot. Gard., Edinburgh* 29: 75-127.
- Osmundson, T.W., Cripps, C.L. & Mueller, G.M.** (2005). Morphological and molecular systematics of Rocky Mountain alpine *Laccaria*. *Mycologia* 97(5): 949-972.
- Overholts, L.O.** (1953). *The Polyporaceae of the United States, Alaska, and Canada.* University of Michigan Press: Ann Arbor, MN. 466 p.
- Ovrebø, C. & Tylutki, E.E.** (1975). New species and a new combination of *Tricholoma* (Agaricales) from the Pacific Northwest. *Mycologia* 67(1): 75-82.
- Ovrebø, C.L., Lodge, D.J. & Aime, M.C.** (2011). A new *Cantharocybe* from Belize with notes on the type of *Cantharocybe gruberi*. *Mycologia* 103(5): 1102-1109.
- Pacioni, G. & Fogel, R.** (1990). *Brauniellula crassitunicata*, a New Secotioid Species of Gomphidiaceae (Boletales, Basidiomycotina). *Mycologia* 82(5): 617-621.
- Padamsee, M., Matheny, P., B., Dentinger, B.T.M. & McLaughlin, D.J.** (2008). The mushroom family Psathyrellaceae: Evidence for large-scale polyphyly of the genus *Psathyrella*. *Molecular Phylogenetics and Evolution* 46: 415-429.
- Paden, J.W. & Tylutki, E.E.** (1969). Idaho Discomycetes. II. *Mycologia* 61(4): 683-693.
- Parfitt, D., Martyn Ainsworth, A., Simpson, D., Rogers, H.J. & Boddy, L.** (2007). Molecular and morphological discrimination of stipitate

California Fungi Bibliography

- hydroids in the genera *Hydnellum* and *Phellodon*. Mycological Research 111(7): 761-777.
- Parker, C.S.** (1933). A Taxonomic Study of the Genus *Hypoholoma* in North America. Mycologia 25(3): 160-212.
- Parmasto, E.** (2001). Hymenochaetoid fungi (Basidiomycota) of North America. Mycotaxon 74: 107-176.
- Peck, C.H.** (1872). Report of the Botanist 1870. Ann. Rep. NY State Mus. 24: 41-108.
- Peck, C.H.** (1872). Report of the State Botanist. Report of the Regents of the University of the State of New York on the Condition of the State Cabinet of Natural History 23: 91.
- Peck, C.H.** (1873). Descriptions of new species of fungi. Bulletin of the Buffalo Society of Natural Sciences 1: 41-72.
- Peck, C.H.** (1873). Report of the Botanist 1871. Ann. Rep. NY State Mus. 25: 57-123.
- Peck, C.H.** (1874). Descriptions of new species of fungi. Bull. Buffalo Soc. Nat. Sci. 1: 41-72.
- Peck, C.H.** (1874). Report of the State Botanist 1873. Ann. Rep. NY State Mus. 26: 35-91.
- Peck, C.H.** (1875). Report of the State Botanist 1874. Ann. Rep. NY State Mus. 27: 73-116.
- Peck, C.H.** (1878). Report of the State Botanist. Ann. Rep. NY State Mus. 29: 30-82.
- Peck, C.H.** (1882). New species of fungi. Botanical Gazette 7(5): 54-57.
- Peck, C.H.** (1882). Report of the State Botanist 1881. Ann. Rep. NY State Mus. 35: 125-164.
- Peck, C.H.** (1883). Report of the State Botanist 1882. Ann. Rep. NY State Mus. 36: 27-49.
- Peck, C.H.** (1885). Report of the State Botanist 1884. Ann. Rep. NY State Mus. 38: 77-138.
- Peck, C.H.** (1888). Report of the State Botanist 1887. Ann. Rep. NY State Mus. 41: 51-122.
- Peck, C.H.** (1889). Report of the State Botanist 1888. Ann. Rep. NY State Mus. 42.
- Peck, C.H.** (1891). Report of the State Botanist 1890. Ann. Rep. NY State Mus. 44: 115-195.
- Peck, C.H.** (1892). Report of the State Botanist 1891. Ann. Rep. NY State Mus. 45: 65-102.
- Peck, C.H.** (1893). Report of the State Botanist 1892. Ann. Rep. NY State Mus. 46: 85-174.
- Peck, C.H.** (1895). New species of fungi. Bull. Torrey bot. Club 22(5): 198-210.
- Peck, C.H.** (1895). New species of fungi. Bull. Torrey bot. Club 22(12): 485-493.
- Peck, C.H.** (1896). New species of fungi. Bull. Torrey bot. Club 23(10): 411-420.
- Peck, C.H.** (1896). Report of the State Botanist 1895. Ann. Rep. NY State Mus. 49: 1-70.
- Peck, C.H.** (1898) Annual Report of the State Botanist for 1896. From the 50th Report of the New York State Museum. p. 77-159.
- Peck, C.H.** (1898). New species of fungi. Bull. Torrey bot. Club 25(6): 321-328.
- Peck, C.H.** (1898). Report of the State Botanist 1897. Ann. Rep. N.Y. St. Mus. 51: 291.
- Peck, C.H.** (1902). Report of the State Botanist 1901. N. Y. State Mus. Bull. 54: 931-991.
- Peck, C.H.** (1904). New species of fungi. Bull. Torrey bot. Club 31(4): 177-182.
- Peck, C.H.** (1907). New species of fungi. Bull. Torrey Bot. Club 34: 345-349.
- Peck, C.H.** (1909). New species of fungi. Bull. Torrey bot. Club 36: 329-339.
- Pegler, D. N. & Legon, N. W.** (1998). Profiles of Fungi: 92 *Agrocybe putaminum*. Field Mycology 12(2): 60.
- Pegler, D. N., Læssøe, T. & Spooner, B. M.** (1995). British Puffballs, Earthstars, and Stinkhorns. Royal Botanic Gardens: Kew, England. 255 p.
- Pegler, D.N.** (1983). The Genus *Lentinus*, A World Monograph. HMSO: London, England. 281 p.
- Pegler, D.N., Spooner, B.M. & Young, T.W.K.** (1993). British Truffles: A Revision of British Hypogeous Fungi. Royal Botanic Gardens: Kew, England. 216 p.
- Peintner, U., Horak, E., Moser, M. & Vilgalys, R.** (2002). Phylogeny of *Rozites*, *Cuphocybe* and *Rapacea* inferred from ITS and LSU rDNA sequences. Mycologia 94(4): 620-629.
- Peintner, U., Bougher, N.L., Castellano, M.A., Moncalvo, J.-M., Moser, M., Trappe, J.M. & Vilgalys, R.** (2001). Multiple Origins of Sequestrate Fungi Related to *Cortinarius* (Cortinariaceae). American Journal of Botany 88(12): 2168-2179.
- Peintner, U., Moser, M. & Vilgalys, R.** (2002). *Thaxterogaster* is a taxonomic synonym of *Cortinarius*: new combinations and new names. Mycotaxon 81: 177-184.
- Perry, B.A. & Desjardin, D.E.** (2016). New species of *Mycena* (Basidiomycota, Agaricales) from California. Phytotaxa 269(1): 33-40.

California Fungi Bibliography

- Perry, B.A. & Pfister, D.H.** (2008). *Chaetothiersia vernalis*, a new genus and species of Pyronemataceae (Ascomycota, Pezizales) from California. *Fungal Diversity* 28: 65-72.
- Perry, B.A.** (2002). A Taxonomic Investigation of *Mycena* in California. Masters Thesis, San Francisco State University: San Francisco, CA. 157 p.
- Perry, Brian A. & Desjardin, Dennis E.** (1999). *Mycena californiensis* Resurrected. *Mycotaxon* 70: 87-89.
- Persoon, C.H.** (1801). *Synopsis methodica fungorum*. Göttingen. 708 p.
- Petersen, R.H. & Hughes, K.W.** (2004). A preliminary monograph of *Lentinellus* (Russulales). J. Cramer: Berlin, Germany. 270 p.
- Petersen, R.H. & Krisai-Greilhuber, I.** (1996). An epitype specimen for *Pleurotus ostreatus*. *Mycol. Res.* 100(2): 229-235.
- Petersen, R.H. & Scates, C.** (1988). Vernally fruiting taxa of *Ramaria* from the Pacific Northwest. *Mycotaxon* 33: 101-144.
- Petersen, R.H.** (1967). Notes on Clavarioid Fungi. VII. Redefinition of the *Clavaria vernalis* - *C. mucida* Complex. *American Midland Naturalist* 77(1): 205-221.
- Petersen, R.H.** (1968). The Genus *Clavulinopsis* in North America. Hafner Publishing Co: New York, NY. 39 p.
- Petersen, R.H.** (1981). *Ramaria* subgenus *Echinoramaria*. J. Cramer: Vaduz, Liechtenstein. 261 p.
- Pfister, D.H.** (1993). A Synopsis of the North American Species of *Byssonectria* (Pezizales) with Comments on the Ontogeny of Two Species. *Mycologia* 85: 952-962.
- Phillips, W.** (1893). *A Manual of the British Discomycetes*. Kegan Paul, Trench, Trübner & Co.: London. 462 p.
- Pilz, D., McLain, R., Alexander, S., Villarreal-Ruiz, L., Berch, S.M., Wurtz, T.L., Parks, C.G., McFarlane, E., Baker, B., Molina, R. & Smith, J.E.** (2007). Ecology and Management of Morels Harvested from the Forests of Western North America. Pacific Northwest Research Station, Forest Service, USDA: Portland, OR. 161 p.
- Pouzar, Z.** (1982). *Marasmius quercophilus*, a new species, common on oak leaves. *Česká Mykologie* 36(1): 1-6.
- Pringle, A. & Vellinga, E.C.** (2006). Last chance to know? Using literature to explore the biogeography and invasion biology of the death cap mushroom *Amanita phalloides* (Vaill. ex Fr.: Fr.) Link. *Biological Invasions* 6: 1131-1144.
- Raguso, R.A. & Roy, B.A.** (1998). 'Floral' scent production by *Puccinia* rust fungi that mimic flowers. *Molecular Ecology* 7(9): 1127-1136.
- Ramanurthi, C.S., Korf, R.P. & Batra, L.R.** (1957). A revision of the North American species of *Chlorociboria* (Scerotiniaceae). *Mycologia* 49: 854-863.
- Rapier, S., Breheret, S., Talou, T., Pélissier, Y. & Bessi re, J.-M.** (2002). The Anise-like Odor of *Clitocybe odora*, *Lentinellus cochleatus* and *Agaricus essettei*. *Mycologia* 94(3): 373-376.
- Rea, P.M.** (1942). Fungi of Southern California. I. *Mycologia* 34(5): 563-574.
- Redhead, S.A. & Ginns, J.** (1985). A reappraisal of agaric genera associated with brown rots of wood. *Trans. Mycol. Soc. Japan* 26: 349-381.
- Redhead, S.A. & McNeill, J.** (2008). The generic name *Leratiomyces* (Agaricales) once again. *Mycotaxon* 105: 481-488.
- Redhead, S.A. & Petersen, R.H.** (1999). New species, varieties and combinations in the genus *Flammulina*. *Mycotaxon* 71: 285-294.
- Redhead, S.A. & Weresub, L.K.** (1978). On *Omphalia* and *Omphalina*. *Mycologia* 70(3): 556-568.
- Redhead, S.A.** (1974). A New Species of *Campanella* from North America. *Mycologia* 66(1): 183-187.
- Redhead, S.A.** (1977). The genus *Mitrlula* in North America. *Can. J. Bot.* 55: 307-325.
- Redhead, S.A.** (1982). The systematics of *Callistosporium luteo-olivaceum*. *Sydowia* 35: 223-235.
- Redhead, S.A.** (1986). Mycological observations, 17-20, nomenclatural notes on some Omphaloid genera in Canada, *Chrysomphalina*, *Rickenella*, *Gerronema*, *Omphalina*. *Acta Mycologia Sinica Suppl.* 1: 297-304.
- Redhead, S.A.** (1987). The Xerulaceae (Basidiomycetes), a family with sarcodimitic tissues. *Can. J. Bot.* 65: 1551-1562.
- Redhead, S.A.** (2012). Nomenclatural Novelties. *Index Fungorum* 14: 1.

California Fungi Bibliography

- Redhead, S.A.** (2012). Nomenclatural Novelties. *Index Fungorum* 5: 1.
- Redhead, S.A.** (2013). Nomenclatural Novelties. *Index Fungorum* 15: 1-2.
- Redhead, S.A.** (2014). Nomenclatural Novelties. *Index fungorum* 148: 1.
- Redhead, S.A., Ammirati, J.F., Norvell, L. & Seidl, M.T.** (2000). Notes on western North American snowbank fung. *Mycotaxon* 76: 321-328.
- Redhead, S.A., Lutzoni, F., Moncalvo, J.-M. & Vilgalys, R.** (2002). Phylogeny of Agarics: Partial Systematics Solutions for Core Omphalinoid Genera in the Agaricales (Euagarics). *Mycotaxon* 83: 19-57.
- Redhead, S.A., Moncalvo, J.-M., Vilgalys, R. & Lutzoni, F.** (2002). Phylogeny of Agarics: Partial Systematics Solutions for Bryophilus Omphaloid Agarics Outside the Agaricales (Euagarics). *Mycotaxon* 82: 151-168.
- Redhead, S.A., Norvell, L. & Danell, E.** (1997). *Cantharellus formosus* and the pacific golden chanterelle harvest in western North America. *Mycotaxon* 65: 285-322.
- Redhead, S.A., Vilgalys, R., Moncalvo, J.-M., Johnson, J. & Hopple Jr., J.S.** (2001). *Coprinus* Pers. and the disposition of *Coprinus* species sensu lato. *Taxon* 50: 203-241.
- Redhead, S.A., Walker, G.R., Ammirati, J.F. & Norvell, L.** (1995). *Omphalina* sensu lato in North America 4: *O. rosella*. *Mycologia* 87(6): 880-885.
- Reid, D.A.** (1958). New or interesting records of British hymenomycetes. II. *Transactions of the British Mycological Society* 41(4): 419-445.
- Remsberg, R.E.** (1940). Studies in the Genus *Typhula*. *Mycologia* 32(1): 52-96.
- Richard, F., Bellanger, J.-M., Clowez, P., Hansen, K., O'Donnell, K., Urban, A., Sauve, M., Courtecuisse, R. & Moreau, P.-A.** (2015). True morels (*Morchella*, Pezizales) of Europe and North America: evolutionary relationships inferred from multilocus data and a unified taxonomy. *Mycologia* 107(2): 359-382.
- Roberts, C.** (2007). Russulas of southern Vancouver Island coastal forests. Doctoral dissertation. University of Victoria: Victoria, BC, Canada. 667 p.
- Roberts, P.** (1995). British *Tremella* Species I: *Tremella aurantiaca* & *T. mesenterica*. *Mycologist* 9: 110-114.
- Roberts, P.** (1999). British *Tremella* Species II: *Tremella encephala*, *T. steidleri*, and *T. foliacea*. *Mycologist* 13-127.
- Robich, G.** (2003). *Mycena* D'Europa. Associazione Micologica Bresadola: Trento, Italy. 728 p.
- Robich, G.** (2016). *Mycena* D'Europa Volume 2. Associazione Micologica Bresadola: Trento, Italy. 733 p.
- Rogers, J.D.** (1979). The Xylariaceae: Systematic, Biological and Evolutionary Aspects. *Mycologia* 71(1): 1-42.
- Rogerson, C.T. & Samuels, G.J.** (1989). Boleticolous Species of *Hypomyces*. *Mycologia* 81: 413-432.
- Rogerson, C.T. & Simms, H.R.** (1971). A New Species of *Hypomyces* on *Helvella*. *Mycologia* 63: 416-421.
- Rokuya, I.** (1953). *Polyozellus multiplex* and the Family Phylacteriaceae. *Mycologia* 45(4): 555-561.
- Ronikier, A. & Aronsen, A.** (2007). Type study of *Mycena phaeophylla* reveals its conspecificity with *M. clavata*. *Mycologia* 99(6): 924-935.
- Rossmann, A.Y.** (1989). A synopsis of the *Nectria cinnabarina* group. *Mem. New York Bot. Gard.* 49: 253-265.
- Roy, B.A., Vogler, D.R., Bruns, T.D. & Szaro, T.M.** (1998). Cryptic Species in the *Puccinia monoica* Complex. *Mycologia* 90(5): 846-853.
- Rubel, W. & Arora, D.** (2008). A Study of Cultural Bias in Field Guide Determinations of Mushroom Edibility Using the Iconic Mushroom, *Amanita muscaria*, as an Example. *Economic Botany* 62(3).
- Ryvarden, L. & Melo, I.** (2014). Poroid fungi of Europe. *Fungiflora*: Oslo. 455 p.
- Ryvarden, L.** (2010). Stereoid Fungi of America. *Fungiflora*: Oslo, Norway. 209 p.
- Saar, I., Pöldmaa, K. & Kõljalg, U.** (2009). The phylogeny and taxonomy of genera *Cystoderma* and *Cystodermella* (Agaricales) based on nuclear ITS and LSU sequences. *Mycological Progress* 8(1): 59-73.
- Saccardo, P.A.** (1887) *Sylloge Fungorum* V: 132.
- Sánchez, L.A.P.** (2008). *Agaricus* L.; *Allopsalliota* Nauta & Bas; Tribu Agariceae S. Imai: Part 1. Edizioni Candusso: Alassio, Italy. 824 p.

California Fungi Bibliography

- Schafer, D.J.** (2014). The genus *Parasola* in Britain including *Parasola cuniculorum* sp. nov. *Field Mycology* 15(3): 77-99.
- Schumacher, T.** (1990). The genus *Scutellinia* (Pyronemataceae). *Opera Bot.* 101: 1-107.
- Schwarz, C.F.** (2015). *Entoloma medianox*, a new name for a common species on the Pacific coast of North America. Retrieved from <http://scmycoflora.org/>.
- Schwarz, C.F.** (2015). Nomenclatural Novelties. *Index Fungorum* 220: 1.
- Schwarz, C.F.** (2015). Nomenclatural Novelties. *Index Fungorum* 222: 1.
- Seaver, F.J.** (1921). Photographs and Descriptions of Cup-Fungi: IX: North American Species of *Discina*. *Mycologia* 13(2): 67-71.
- Seaver, F.J.** (1936). Photographs and Descriptions of Cup-Fungi: XXIV. Chlorociboria. *Mycologia* 28(4): 390-394.
- Seaver, F.J.** (1942). The North American Cup-Fungi (Operculates). Privately Published: New York, N.Y. 377 p.
- Seaver, F.J.** (1951). The North American Cup-Fungi (Inoperculates). Privately Published: New York, NY. 428 p.
- Seaver, F.J.** (1978). The North American Cup-Fungi (Inoperculates). Lubrecht & Cramer: Monticello, NY. 428 p.
- Seaver, F.J.** (1978). The North American Cup-Fungi (Operculates). Lubrecht & Cramer: Monticello, N.Y. 377 p.
- Seidl, M.T.** (1995). Validation of the Puffball Genus *Calbovista*. *Mycotaxon* 54: 389-392.
- Senn-Irlet, B.** (1995). The Genus *Crepidotus* (Fr.) Staude in Europe. *Persoonia* 16(1): 1-80.
- Shaffer, R.L.** (1957). *Volvariella* in North America. *Mycologia* 49(4): 545-579.
- Shaffer, R.L.** (1962). The subsection *Compactae* of *Russula*. *Brittonia* 14: 254-284.
- Shaffer, R.L.** (1972). North American Russulas of the Subsection *foetentinae*. *Mycologia* 64(5): 1008-1053.
- Shaffer, R.L.** (1975). Some common North American species of *Russula* subsect. *Emeticinae*. *Beih. Nova Hedw.* 51: 207-237.
- Shanks, Kris M.** (1994). A Sytematic Study of *Tricholoma* in California. Masters Thesis, San Franciso State University: San Francisco, CA. 207 p.
- Shanks, Kris M.** (1996). New species of *Tricholoma* from California and Oregon. *Mycologia* 88: 497-508.
- Shanks, Kris M.** (1997). The Agaricales (Gilled Fungi) of California. 11. *Tricholomataceae* II. *Tricholoma*. Mad River Press: Eureka, CA. 54 p.
- Shope, P.F.** (1938). Further Notes on *Cantharellus multiplex*. *Mycologia* 30(4): 372-374.
- Shüßler, A., Swwarzott, D. & Walker, C.** (2001). A new fungal phylum, the Glomeromycota: phylogeny and evolution. *Mycol. Res.* 105(12): 1413-1421.
- Siegel, N. & Schwarz, C.** (2016). Mushrooms of the Redwood Coast. Ten Speed Press: Berkeley, CA. 601 p.
- Siegel, N., Nguyen, N.H. & Vellinga, E.C.** (2015). *Pholiota olivaceophylla*, a forgotten name for a common western North American snowbank fungus, and notes on *Pholiota nubigena*. *Mycotaxon* 130(2): 517-532.
- Sims, K.P., Watling, R. & Jeffries, P.** (1995). A revised key to the genus *Scleroderma*. *Mycotaxon* 56(403): 420.
- Singer, R. & Smith, A.H.** (1943). A monograph on the genus *Leucopaxillus* Boursier. *Pap. Mich. Acad. Sci.* 28: 85-132.
- Singer, R. & Smith, A.H.** (1946). The Taxonomic Position of *Pholiota mutabilis* and Related Species. *Mycologia* 38(5): 500-523.
- Singer, R. & Smith, A.H.** (1947). Additional notes on the genus *Leucopaxillus*. *Mycologia* 39: 725-736.
- Singer, R. & Smith, A.H.** (1958). Mycological Investigations on Teonanácatl, the Mexican Hallucinogenic Mushroom. Part II. A Taxonomic Monograph of *Psilocybe*, Section *Caerulescentes*. *Mycologia* 50: 262-303.
- Singer, R. & Smith, A.H.** (1958). Studies on secotiaceous fungi I: A monograph of the genus *Thaxterogaster*. *Brittonia* 10: 201-216.
- Singer, R. & Smith, A.H.** (1958). Studies on secotiaceous fungi II: *Endoptychum depressum*. *Brittonia* 10: 216-221.
- Singer, R. & Smith, A.H.** (1960). Studies on Secotiaceous Fungi. IX. The Astrogastrea Series. *Mem. Tor. Bot. Club* 21(3): 1-112.
- Singer, R.** (1940). Notes sur quelques Basidiomycetes. *Rev. Mycol.* 5: 3-13.

California Fungi Bibliography

- Singer, R.** (1946). Type studies on agarics. II. *Lloydia* 9: 114-131.
- Singer, R.** (1947). Type Studies on Basidiomycetes III. *Mycologia* 39(2): 171-189.
- Singer, R.** (1949). The Agaricales (Mushrooms) in Modern Taxonomy. *Lilloa* 22: 1-832.
- Singer, R.** (1949). The genus *Gomphidius* Fries in North America. *Mycologia* 41: 462-489.
- Singer, R.** (1955). Type studies on Basidiomycetes. IX. *Sydowia* 9: 367-431.
- Singer, R.** (1956). Contributions Towards a Monograph of the Genus *Pluteus*. *Trans. Br. Mycol. Soc.* 39(2): 145-232.
- Singer, R.** (1957). New genera of fungi X. *Pachylepyrium*. *Sydowia* 11: 320-322.
- Singer, R.** (1975). The Agaricales in Modern Taxonomy. J. Cramer: Vaduz. 912 p.
- Singer, R.** (1986). The Agaricales in Modern Taxonomy. Koeltz Scientific Books: Koenigstein, Germany. 981 p.
- Singer, R.** (1989). New taxa and new combinations of Agaricales (*Diagnoses Fungorum Novorum Agaricalium* IV). *Fieldiana NS* 21: 1-133.
- Smith, A.H. & Hesler, L.R.** (1942). Studies in North American species of *Hygrophorus* II. *Lloydia* 5: 1-94.
- Smith, A.H. & Hesler, L.R.** (1946). New and Unusual Dark-Spored Agarics from North America. *J. Elisha Mitchell Scientific Soc.* 62: 177-200.
- Smith, A.H. & Hesler, L.R.** (1962). Studies on *Lactarius*—III. The North American Species of Section *Plinthogali*. *Brittonia* 14: 369-440.
- Smith, A.H. & Hesler, L.R.** (1968). The North American Species of *Pholiota*. Hafner Publishing Company: New York, NY. 492 p.
- Smith, A.H. & Morse, E.E.** (1947). The genus *Cantharellus* in the western United States. *Mycologia* 39(5): 497-534.
- Smith, A.H. & Rea, P.M.** (1944). Fungi of Southern California—II. *Mycologia* 36(2): 125-137.
- Smith, A.H. & Singer, R.** (1945). A monograph of the genus *Cystoderma*. *Pap. Michigan Acad. Sci.* 30: 71-124.
- Smith, A.H. & Singer, R.** (1958). Studies on Secotiaceous Fungi VIII. A new genus related to *Gomphidius*. *Mycologia* 50: 927-938.
- Smith, A.H. & Singer, R.** (1959). Studies on Secotiaceous Fungi IV. *Gastroboletus*, *Truncocolumella*, and *Chamonixia*. *Brittonia* 11: 205-223.
- Smith, A.H. & Singer, R.** (1964). A Monograph of the Genus *Galerina* Earle. Hafner Publishing Company: New York, NY. 384 p.
- Smith, A.H. & Stuntz, D.E.** (1950). New or Noteworthy Fungi from Mt. Rainier National Park. *Mycologia* 42: 80-134.
- Smith, A.H. & Thiers, H.D.** (1964). A Contribution Toward a Monograph of North American Species of *Suillus*. Privately Published: Ann Arbor, MI. 116 p.
- Smith, A.H. & Thiers, H.D.** (1971). The Boletes of Michigan. University of Michigan Press: Ann Arbor, MI. 426 p.
- Smith, A.H. & Trappe, J.M.** (1972). The Higher Fungi of Oregon's Cascade Head Experimental Forest and Vicinity: I. The Genus *Phaeocollybia* (Agaricales) and Notes and Descriptions of Other Species in the Agaricales. *Mycologia* 64: 1138-1153.
- Smith, A.H. & Zeller, S.M.** (1966). A Preliminary Account of the North American Species of *Rhizopogon*. New York Botanical Gardens: Bronx, NY. 177 p.
- Smith, A.H.** (1936). Studies in the Genus *Mycena*. III. *Mycologia* 28(5): 410-430.
- Smith, A.H.** (1937). New and Unusual Agarics from the Western United States. *Mycologia* 29(1): 45-59.
- Smith, A.H.** (1939). Studies in the genus *Cortinarius* I. *Contr. Univ. Mich. Herb.* 2: 1-42.
- Smith, A.H.** (1944). New and interesting Cortinariid from North America. *Lloydia* 7(3): 163-235.
- Smith, A.H.** (1944). New North American Agarics. *Mycologia* 36: 242-262.
- Smith, A.H.** (1947). North American Species of *Mycena*. University of Michigan Press: Ann Arbor, MI. 521 p.
- Smith, A.H.** (1949). Mushrooms in their Natural Habitats. Sawyer's Inc: Portland, OR. 626 p.
- Smith, A.H.** (1951). Puffballs and Their Allies in Michigan. University of Michigan Press: Ann Arbor, MI. 131 p.
- Smith, A.H.** (1951). The North American species of *Naematoloma*. *Mycologia* 43: 467-521.

California Fungi Bibliography

- Smith, A.H.** (1956). Additional new or unusual North American Agarics. *Sydowia Beih.* 1: 46-61.
- Smith, A.H.** (1957). A contribution toward a monograph of *Phaeocollybia*. *Brittonia* 9: 195-217.
- Smith, A.H.** (1960). *Tricholomopsis* in the Western Hemisphere. *Brittonia* 12: 41-70.
- Smith, A.H.** (1972). The North American Species of *Psathyrella* (Mem. NY. Bot. Gard.: 24). New York Botanical Garden: Bronx, NY. 521 p.
- Smith, A.H.** (1973). Notes on Michigan Boletaceae. *Persoonia* 7: 321-331.
- Smith, A.H.** (1974). The genus *Vascellum* (Lycoperdaceae) in the United States. *Bulletin de la Société Linnéenne de Lyon* 43: 407-419.
- Smith, A.H., Evenson, V.S. & Mitchel, D.H.** (1983). The Veiled Species of *Hebeloma* in the Western United States. University of Michigan Press: Ann Arbor, MI. 219 p.
- Smith, H.V.** (1966). Contributions toward a monograph on the genus *Lepiota*. I. Type studies in the genus *Lepiota*. *Mycopathol. et Mycol. Appl.* 29: 97-117.
- Snell, W.H. & Dick, E.A.** (1941). Notes on Boletes. VI. *Mycologia* 33(1): 23-37.
- Snell, W.H. & Dick, E.A.** (1956). Notes on Boletes. IX. *Mycologia* 48(2): 302-310.
- Snell, W.H.** (1936). Notes on Boletes. IV. *Mycologia* 28(1): 13-23.
- Snell, W.H., Singer, R. & Dick, E.A.** (1959). Notes on Boletes. XI. *Mycologia* 51(4): 564-577.
- Snyder, L.C.** (2001). New and Unusual Discomycetes of Western Washington. *Mycologia* 28(5): 483-488.
- Spoerke, D.G. & Rumack, B.H.** (1994). Handbook of Mushroom Poisoning: Diagnosis and Treatment. CRC Press: Boca Raton, FL. 456 p.
- Stalpers, J.A.** (1993). The Aphyllophoraceous fungi I Keys to the species of the Thelephorales. *Studies in Mycology* 35: 1-168.
- Stamets, P.** (1996). *Psilocybin* Mushrooms of the World. Ten Speed Press: Berkeley, CA. 245 p.
- Stangl, J.** (2011). The Genus *Inocybe* in Bavaria. NuAge Print and Copy: Burnley, UK. 344 p.
- Stewart, E. L.** (1974). The Genus *Gautieria* Vitt. (Hymenogastrales - Basidiomycetes). Ph.D. Dissertation. Oregon State University: Corvallis, OR. 210 p.
- Stijve, T.** (1997). Close Encounters with *Clathrus Ruber*, the latticed stinkhorn. *Australasian Mycological Newsletter*: 11-15.
- Stuntz, D.** (1947). Studies in the Genus *Inocybe*. I. New and Noteworthy Species from Washington. *Mycologia* 39: 21-55.
- Stuntz, D.E. & Isaacs, B.F.** (1962). Pacific Northwestern fungi. I. *Mycologia* 54(3): 272-298.
- Sumstine, D.R.** (1910). The North American Mucorales: I. Family Mucoraceae. *Mycologia* 2(3): 125-154.
- Sunhede, S.** (1989). Geastraceae (Basidiomycota)—Morphology, Ecology, and Systematics with Special Emphasis on Northern European Species. *Fungiflora*: Oslo, Norway. 535 p.
- Šutara, J.** (2008). *Xerocomus* s. l. in the light of the present state of knowledge. *Czech Mycol.* 60(1): 29-62.
- Takahashi H.** (2001). *Pluteus romellii* (Agaricales, Basidiomycetes), new to Japan, found in Odawara (in Japanese with English summary). *Nat Hist Rep Kanagawa* 22: 21-23.
- Terashima, Y., Fukiharu, T. & Fujiie, A.** (2004). Morphology and comparative ecology of the fairy ring fungi, *Vascellum curtisii* and *Bovista dermoxantha*, on turf of bentgrass, bluegrass, and Zoysiagrass. *Mycoscience* 45(4): 251-260.
- Terashima, Y., Fukiharu, T. & Fujiie, A.** (2004). Morphology and comparative ecology of the fairy ring fungi, *Vascellum curtisii* and *Bovista dermoxantha*, on turf of bentgrass, bluegrass, and Zoysiagrass. *Mycoscience* 45(4): 251-260.
- Thiers, H.D. & Ammirati, J.F.** (1982). New species of *Amanita* from western North America. *Mycotaxon* 15: 155-166.
- Thiers, H.D. & Smith, A.H.** (1969). Hypogeous Cortinarii. *Mycologia* 61: 526-536.
- Thiers, H.D. & Sundberg, W.J.** (1976). *Armillaria* (Tricholomataceae, Agaricales) in the Western United States including a new species from California. *Madroño* 23: 448-453.
- Thiers, H.D. & Trappe, J.M.** (1969). Studies in the genus *Gastroboletus*. *Brittonia* 21: 244-254.
- Thiers, H.D. & Watling, R.** (1971). Secotiaceous Fungi from Western United States. *Madroño* 21: 1-9.
- Thiers, H.D.** (1965). California Boletes. I. *Mycologia* 57(4): 524-534.

California Fungi Bibliography

- Thiers, H.D.** (1966). California boletes II. *Mycologia* 58(6): 815-826.
- Thiers, H.D.** (1967). California boletes III. The genus *Suillus*. *Madroño* 19: 148-160.
- Thiers, H.D.** (1971). California Boletes. IV. The Genus *Leccinum*. *Mycologia* 63(2): 261-276.
- Thiers, H.D.** (1975). California Mushrooms—A Field Guide to the Boletes. Hafner Press: New York, NY. 261 p.
- Thiers, H.D.** (1975). The status of the genus *Suillus* in the United States. *Beih. Nova Hedw.* 51: 247-278.
- Thiers, H.D.** (1976). Boletes of the Southwestern United States. *Mycotaxon* 3(2): 261-273.
- Thiers, H.D.** (1979). New and Interesting Hypogeous and Secotioid Fung from California. *Sydowia Beih.* 8: 381-390.
- Thiers, H.D.** (1979). The genus *Suillus* in the Western United States. *Mycotaxon* 9(1): 285-296.
- Thiers, H.D.** (1982). The Agaricales (Gilled Fungi) of California. 1. Amanitaceae. Mad River Press: Eureka, CA. 53 p.
- Thiers, H.D.** (1984). The Genus *Arcangeliella* Cav. in the Western United States. *Sydowia* 37: 296-308.
- Thiers, H.D.** (1985). The Agaricales (Gilled Fungi) of California. 3. Gomphidiaceae. Mad River Press: Eureka, CA. 20 p.
- Thiers, H.D.** (1985). The Agaricales (Gilled Fungi) of California. 2. Cantharellaceae. Mad River Press: Eureka, CA. 34 p.
- Thiers, H.D.** (1985). The Agaricales (Gilled Fungi) of California. 4. Paxillaceae. Mad River Press: Eureka, CA. 9 p.
- Thorn, R.G. & Barron, G.L.** (1986). *Nematoctonus* and the tribe *Resupinateae* in Ontario, Canada. *Mycotaxon* 25(2): 321-452.
- Torkelsen, A.-E.** (1968). The genus *Tremella* in Norway. *Nytt Magasin for Botanikk* 15(3): 225-239.
- Trappe, J.M.** (1972). Parasitism of *Helvella lacunosa* by *Clitocybe sclerotoidea*. *Mycologia* 64: 1337-1340.
- Trappe, J.M.** (1975). Generic synonyms in the Tuberales. *Mycotaxon* 2: 109-122.
- Trappe, J.M.** (1979). The orders, families, and genera of hypogeous Ascomycotina (truffles and their relatives). *Mycotaxon* 9(1): 297-340.
- Trappe, M.J., Smith, M.E. & Hobbie, E.A.** (2015). Exploring the phylogenetic affiliations and the trophic mode of *Sedecula pulvinata* (Sedeculaceae). *Mycologia* 107(4): 688-696.
- Trudell, S.A. & Ammirati, J.F.** (2009). Mushrooms of the Pacific Northwest. Timber Press: Portland, OR. 351 p.
- Trudell, S.A.** (2012). The Genus *Tricholoma* in North America. *Fungi* 5(5): 23-31.
- Trudell, S.A., Xu, J., Justo, A., Saar, I. & Cifuentes, J.** (2017): North American matsutake: Names clarified and a new species described, *Mycologia* (doi: 10.1080/00275514.2017.1326780).
- Tulasne L.R. & Tulasne C.** (1844). Fungi nonnulli hypogaei, novi v. minus cogniti auct. *Giorn. Bot. Ital.* 2 (1): 55-63.
- Tulloss, R. E. and J. E. Lindgren.** (1992). *Amanita smithiana*—taxonomy, distribution, and poisonings. *Mycotaxon* 45: 373-387.
- Tulloss, R.E. & Lindgren, J.E.** (1994). *Amanita novinupta*—A rubescent, white species from the western United States and Southwestern Canada. *Mycotaxon* 51: 179-190.
- Tulloss, R.E. & Lindgren, J.E.** (2005). *Amanita aprica*—a new toxic species from western North America. *Mycotaxon* 91: 193-205.
- Tulloss, R.E. & Wright, G.** (1989). *Amanita protecta*—a new species from coastal southern California. *Mycotaxon* 34(2): 615-622.
- Tylutki, E.E.** (1979). Mushrooms of Idaho and the Pacific Northwest: Discomycetes. University of Idaho Press: Moscow, ID. 133 p.
- Underwood, L.M.** (1899). A new *Cantharellus* from Maine. *Bull. Torrey bot. Club* 26(5): 254-255.
- Van Brummelen, J.** (1967). A world monograph of the genera *Ascobolus* and *Saccobolus* (Ascomycetes, Pezizales). Rijksherbarium: Leiden, The Netherlands. 260 p.
- Van de Bogart, F.** (1976). The genus *Coprinus* in western North America, Part I: Section *Coprinus*. *Mycotaxon* 4(1): 233-275.
- Van de Bogart, F.** (1979). The genus *Coprinus* in western North America, Part I: Section *Lanatulii*. *Mycotaxon* 8(1): 343-391.
- Van de Bogart, F.** (1979). The genus *Coprinus* in western North America, Part III: Section *Atramentarii*. *Mycotaxon* 10(1): 155-174.

California Fungi Bibliography

- Vellinga, E.C.** (2000). Notes on *Lepiota* and *Leucoagaricus*—Type studies on *Lepiota magnispora*, *Lepiota barsii*, and *Agaricus americanus*. *Mycotaxon* 76: 429-438.
- Vellinga, E.C.** (2001). Studies in *Lepiota* IV. *Lepiota cristata* and *L. castaneidisca*. *Mycotaxon* 80: 297-306.
- Vellinga, E.C.** (2003). Type studies in Agaricaceae—the complex of *Chlorophyllum rachodes*. *Mycotaxon* 85: 259–70.
- Vellinga, E.C.** (2006). Lepiotaceous fungi in California, U.S.A. – 3. Pink and lilac species in *Leucoagaricus* sect. *Piloselli*. *Mycotaxon* 98: 213-224.
- Vellinga, E.C.** (2008). Wood Chip Fungi: *Agrocybe putanimum* in the San Francisco Bay Area. *Fungi* 1(4).
- Vellinga, E.C.** (2009). *Pseudobaeospora aphana*, a new species from California. *Mycologia* 101(2): 243-246.
- Vellinga, E.C., Bérubé, J.A., Castellano, M.A. & Mueller, G.M.** (2015). Adding North American mushrooms to the IUCN Global Red List. *Inoculum* 66(4): 3-4.
- Vellinga, E.C., Contu, M. & Vizzini, A.** (2010). *Leucoagaricus decipiens* and *La. erythrophaeus*, a new species pair in sect. *Piloselli*. *Mycologia* 102(2): 447-454
- Vellinga, E.C., de Kok, R.P.J. & Bruns, T.D.** (2003). Phylogeny and taxonomy of *Macrolepiota* (Agaricaceae). *Mycologia* 95(3): 442-456.
- Vesterholt, J.** (2000). *Hebeloma crustuliniforme* and related species. *Field Mycology* 1(2): 58-68.
- Vesterholt, J.** (2005). The Genus *Hebeloma* (Fungi of Northern Europe, Vol. 3). Danish Mycological Society: Copenhagen, Denmark. 146 p.
- Vila, J., Carbó, J., Caballero, F., Català, S., Llimona, X. & Noordeloos, M.E.** (2013). A first approach to the study of the genus *Entoloma* subgenus *Nolanea* s.l. using molecular and morphological data. *Fungi non Delineati* 66: 3-62.
- Villegas, M., Cifuentes, J. & Estrada-Torres, A.** (2005). Sporal characters in Gomphales and their significance for phylogenetics. *Fungal Diversity* 18: 157-175.
- Vizzini, A.** (2014). Nomenclatural novelties. *Index Fungorum* no. 146: 1-2
- Wang, X.-H., Huhtinen, S. & Hansen, K.** (2016). Multilocus phylogenetic and coalescent-based methods reveal dilemma in generic limits, cryptic species, and a prevalent intercontinental disjunct distribution in *Geopyxis* (Pyronemataceae s. l., Pezizomycetes). *Mycologia* 108(6): 1189-1215.
- Wang, Z., Binder, M. & Hibbett, D.S.** (2005). Life history and systematics of the aquatic Discomycete *Mitrula* (Helotiales, Ascomycota) based on cultural, morphological, and molecular studies. *Am. J. Bot.* 92: 1565-1574.
- Wang, Z., Binder, M., Dai, Y.-C. & Hibbett, D.S.** (2004). Phylogenetic relationships of *Sparassis* inferred from nuclear and mitochondrial ribosomal DNA and RNA polymerase sequences. *Mycologia* 96(5): 1015-1029.
- Watling, R. & Gregory, N.M.** (1987). British Fungus Flora: Agarics and Boleti. Vol 5. Strophariaceae & Coprinaceae p.p.: *Hypholoma*, *Melanotus*, *Psilocybe*, *Stropharia*, *Lacymaria*, & *Panaeolus*. Royal Botanic Garden: Edinburgh, Scotland. 121 p.
- Watling, R. & Gregory, N.M.** (1989). British Fungus Flora: Agarics and Boleti. Vol 6. Crepidotaceae and other pleurotoid agarics. Royal Botanic Garden: Edinburgh, Scotland. 157 p.
- Watling, R. & Hills, A.E.** (2005). British Fungus Flora: Agarics and Boleti. Vol 1. Boletes and their Allies. Royal Botanic Garden: Edinburgh. 173 p.
- Watling, R. & Milne, J.** (2008). The identity of European and North American *Boletopsis* spp. (Basidiomycota; Thelephorales, Boletopsidaceae). *North American Fungi* 3(7): 5-15.
- Watling, R. & Turnbull, E.** (1998). British Fungus Flora: Agarics and Boleti. Vol 8. Cantharellaceae, Gomphaceae, and Amyloid-Spored and Xeruloid Members of Tricholomataceae (excl. *Mycena*). Royal Botanic Garden: Edinburgh, Scotland. 189 p.
- Watling, R.** (1970). British Fungus Flora: Agarics and Boleti. Vol 1. Boletaceae, Gomphidiaceae, Paxillaceae. HMSO: Edinburgh, Scotland. 124 p.
- Watling, R.** (1982). British Fungus Flora: Agarics and Boleti. Vol 3. Bolbitiaceae: *Agrocybe*, *Bolbitius*, & *Conocybe*. Royal Botanic Garden: Edinburgh, Scotland. 139 p.
- Watling, R., Gregory, N.M. & Orton, P.D.** (1993). British Fungus Flora: Agarics and Boleti. Vol 7. Cortinariaceae p.p.: *Galerina*, *Gymnopilus*, *Leucocortinarius*, *Phaeocollybia*, *Phaeogalera*,

California Fungi Bibliography

- Phaeolepiota*, *Phaeomarasmium*, *Pleuroflammula*, *Rozites* & *Stagnicola*. Royal Botanic Garden: Edinburgh, Scotland. 131 p.
- Watling, R., Kile, G.A. & Gregory, N.M.** (1982). The genus *Armillaria*—Nomenclature, Typification, the identity of *Armillarea mellea* and species differentiation. *Trans. Br. Mycol. Soc.* 78(2): 271-285.
- Weber, N.S.** (1975). Notes on western species of *Helvella*. I. *Nova Hedwigia Beiheft* 51: 25-38.
- Weber, N.S.** (1988). *A Morel Hunter's companion*. Two Penninsula Press: Lansing, MI. 288 p.
- Weir, J.R.** (1919). *Sparassis radicata*, an undescribed fungus on the roots of conifers. *Phytopathology* 7: 166-177.
- Wells, V.L. & Kempton, P.E.** (1968). A preliminary study of *Clavariadelphus* in North America. *Mich. Bot.* 7: 35-57.
- Wells, V.L. & Kempton, P.E.** (1969). Studies on the fleshy fungi of Alaska. III. The genus *Galerina*. *Lloydia* 32(3): 369-387.
- Wells, V.L. & Kempton, P.E.** (1971). Studies on the Fleshy Fungi of Alaska. V. The Genus *Strobilurus* with Notes on Extralimital Species. *Mycologia* 63(2): 370-379.
- Wells, V.L. & Kempton, P.E.** (1975). New and interesting fungi from Alaska. *Beih. Nova Hedw.* 51: 347-358.
- West, P., Lindgren, J. & Horowitz, B.** (2009). *Amanita smithiana* mushroom ingestion: A case of delayed renal failure and literature review. *Journal of Medical Toxicology* 5(1): 32-38.
- Whetzel, H.H.** (1945). A Synopsis of the Genera and Species of the Sclerotiniaceae, a Family of Stromatic Inoperculate Discomycetes. *Mycologia* 37(6): 648-714.
- Wilson, A.W. & Desjardin, D.E.** (2005). Phylogenetic relationships in the gymnopoid and marasmioid fungi (Basidiomycetes, euagarics clade). *Mycologia* 97(3): 667-679.
- Wolfe Jr., C.B.** (1979). *Austroletus* and *Tylopilus* subgenus *Porphyrellus*, with Emphasis on North American Taxa. J. Cramer: Vaduz. 148 p.
- Woods, A. F.** (1892). Notes on the Canon Flora of Sioux County, With List of Plants Collected in July and August, 1892 in Botanical Survey of Nebraska. Lincoln, NE.
- Ye, M., Cao, S.-q., Jiang, S.-t., Pan, L.-j., Luo, S.-z. & Li, X.-j.** (2006). Species diversity of *Lachnum* (Helotiales, Hyaloscyphaceae) from temperate China. *J. Zhejiang Univ. Sci. B* 7(1): 20-27.
- Young, A.M.** (2005). *Fungi of Australia: Hygrophoraceae*. CSIRO Publishing: Melbourne, Australia. 179 p.
- Yousaf, N., Khalid, A.N. & Niazi, A.R.** (2013). Taxonomy of gasteroid fungi from some arid regions of Punjab, Pakistan. *Journal of Biodiversity and Environmental Sciences* 3(12): 253-263.
- Zamora, J.C., de Diego Calonge, F., Hosaka, K. & Martín, M.P.** (2014). Systematics of the genus *Geastrum* (Fungi: Basidiomycota) revisited. *Taxon* 63(3): 477-497.
- Zamora, J.C., F.D., C. & Martin, M.P.** (2015). Integrative taxonomy reveals an unexpected diversity in *Geastrum* section *Geastrum* (Geastrales, Basidiomycota). *Persoonia* 34: 130-165.
- Zeller, S.M. & Dodge, C.W.** (1918). *Gautieria* in North America. *Ann. Missouri Bot. Gard.* 5: 133-142.
- Zeller, S.M. & Dodge, C.W.** (1918). *Rhizopogon* in North America. *Ann. Missouri Bot. Gard.* 5: 1-36.
- Zeller, S.M. & Dodge, C.W.** (1924). *Leucogaster* and *Leucophleps* in North America. *Ann. Missouri Bot. Gard.* 11: 389-410.
- Zeller, S.M. & Dodge, C.W.** (1929). *Hysterangium* in North America. *Ann. Missouri Bot. Gard.* 16: 83-128.
- Zeller, S.M. & Dodge, C.W.** (1935). New species of Hydnangiaceae. *Ann. Missouri Bot. Gard.* 22: 365-373.
- Zeller, S.M. & Smith, A.H.** (1964). The genus *Calvatia* in North America. *Lloydia* 27: 148-180.
- Zeller, S.M. & Togashi, K.** (1934). The American and Japanese *Matsu-Takes*. *Mycologia* 26: 544-558.
- Zeller, S.M.** (1915). Notes on *Cryptoporus volvatus*. *Mycologia* 7(3): 121-125.
- Zeller, S.M.** (1922). Contributions to Our Knowledge of Oregon Fungi: I. *Mycologia* 14(4): 173-199.
- Zeller, S.M.** (1929). Contributions to Our Knowledge of Oregon Fungi: III. *Mycologia* 21(2): 97-111.
- Zeller, S.M.** (1934). A New species of *Lepiota*. *Mycologia* 26(3): 210-211.

California Fungi Bibliography

- Zeller, S.M.** (1938). New or Noteworthy Agarics from the Pacific Coast States. *Mycologia* 30(4): 468-474.
- Zeller, S.M.** (1939). New and noteworthy Gasteromycetes. *Mycologia* 31: 1-32.
- Zeller, S.M.** (1941). Further notes on fungi. *Mycologia* 33: 196-214.
- Zeller, S.M.** (1943). North American species of *Galeropsis*, *Gyrophagmium*, *Longia*, and *Montagnea*. *Mycologia* 35: 409-421.
- Zeller, S.M.** (1944). Representatives of the Mesophelliaceae in North America. *Mycologia* 36: 627-637.
- Zeller, S.M.** (1947). More notes on Gasteromycetes. *Mycologia* 39: 282-312.
- Zeller, S.M.** (1948). Notes on certain Gasteromycetes, including two new orders. *Mycologia* 40: 639-668.